

Pub

*Restricted*

GENERAL HEADQUARTERS  
SUPREME COMMANDER FOR THE ALLIED POWERS  
Public Health and Welfare Section

0

WEEKLY BULLETIN


For Period

28 September - 4 October

1947

Number 40

SECTION	I	-	Welfare
SECTION	II	-	Veterinary Affairs
SECTION	III	-	Nursing Affairs
SECTION	IV	-	Supply
SECTION	V	-	Preventive Medicine
SECTION	VI	-	Social Security
SECTION	VII	-	Medical Service
SECTION	VIII	-	Nutrition Consultant
SECTION	IX	-	Memoranda to Japanese Government



*Restricted*



March 5

200



WELFARE DIVISION

Rehabilitation Following Disaster

The need for long range rehabilitation programs following the occurrence of disaster is indicated by statements contained in the monthly activities reports submitted by the Wakayama and Kochi Military Government Teams. These two prefectures were the hardest hit in the earthquake and tidal wave which occurred in December 1946. The Monthly Activities Report for July 1947 from Wakayama states:

"A vigorous construction program was undertaken to provide homes for families whose homes were destroyed during the December earthquake and fire, and though houses were constructed rapidly they could not be occupied owing to lack of floor mats and glass for windows. If mats could be obtained, possibly homes could be occupied during the summer and glass installed in windows later on when available. Construction of additional housing is still underway."

The following statement is from the July monthly activities report submitted by the Kochi Military Government Team:

"The Kochi Prefecture Welfare Department distributed during the month of July 1947, a total of two hundred and eighty (280) sets of tools to earthquake sufferers who are carpenters. Each set contained thirty-five (35) items of carpenters tools. The plan of distribution was submitted to this headquarters for suggestions. Some suggestions were offered and the distribution has been carried out satisfactory."

The experience of these two prefectures may be beneficial to other prefectures in which rehabilitation programs following disaster have recently been commenced.

National Disaster Law.

The National Disaster Law was passed by the Diet on 2 October 1947. Under this law the National Government is responsible for mobilizing immediate relief to victims of a disaster. Relief activities are the responsibility of a National Disaster Board on a Cabinet level headed by the Prime Minister.

All Cabinet Ministers as well as the President of the Japanese Red Cross and other civic leaders will be members of the board.

In the time of disaster, the National Disaster Board will make available at prefecture levels, the necessary financial assistance, supplies, and services to enable the prefecture to take immediate relief action. The national government therefore, assumes the role of the facilitating agency, but will not inject itself into the operating phase unless the local government breaks down.

The law provides for the recognition of the Japanese Red Cross Society as a quasi-government agency in the field of disaster relief. The Red Cross will provide medical facilities, services, and personnel, and will be the coordinator of voluntary relief groups who offer their services in time of disaster.

Prefectural Disaster Boards will be organized similarly to the National Board and will be required to maintain up-to-date disaster plans designed to cope with the types of disaster which are peculiar to their areas. In addition, prefectural governments will have Operating Teams composed of six sections responsible for the following duties:

1. Police Section - Law and order, survey and report, rescue work, traffic control, guard duty, black market prevention and liaison.
2. Fire Section - Fight fires, fire rescue, public fire hazards, liaison.



*Restricted*

3. Health Section - Medical relief squads, first aid, hospitalization of the injured, coordination of Red Cross activities, sanitation and water chlorination, epidemic control, medical supply points, coordinate requests for medical supplies, and liaison.

4. Welfare Section - Emergency relief, food, clothing, bedding, shelter, fuel, burial expenses, administration of daily life, security law, and liaison.

5. Economics Section - Coordinate supply, normal rationing, building materials, gas and oil, fishing equipment, farming equipment, submit estimates of long term supply, cooperate with police in checking black market activities, and liaison.

6. Engineering Section - Repair of highways, bridges, harbors, water systems, organize temporary and permanent repairs, restoration of railways, electric power, postal services, telephone and telegraph service and communications.

#### Foreign National Ration

A letter of instruction was issued by the Director of the General Affairs Bureau, Ministry of Agriculture and Forestry to prefectural governors on 1 October 1947 concerning foreign national supplementary food rations. It was pointed out in this letter that the supplementary food ration for purchase by foreign nationals is not being satisfactorily provided. The following points were mentioned specifically:

1. The butter is to be delivered promptly.

2. Oil and fat included in the basic Japanese ration must be provided for the foreign national as well as that included in the supplementary ration.

3. The Japanese woman married to a German has no right to receive the foreign national ration for Axis nationals unless she is able to prove German citizenship. The same principle applies to Japanese women married to any foreign national.

A telegram was sent out to the governors of Saitama, Chiba, Gumma, Tochigi, Ibaraki prefectures ordering the immediate delivery of the foreign national ration for September and October to Chinese nationals in the flood area through the Chinese Association. The use of domestic canned food allocated to the prefecture for flood relief was authorized to be used for the September ration for Chinese nationals.

#### National Social Work Assembly

National Social Work Assembly was held 1, 2 and 3 October in Tokyo (Referen PHW Weekly Bulletin #37 for period 7-13 September 1947). The conference held on Wednesday, 1 October was attended by representatives from the five national agencies sponsoring the conference, 2200 delegates from all prefectures in Japan, as well as the Emperor and Empress and other Japanese officials. The conference was held at this time to observe the first full year of operation of the Daily Life Security Law and to discuss future welfare plans. During the various meetings of the Assembly attention was also called to the fact that Community Chest Drives are scheduled to be held throughout the country from 25 November to 25 December 1947.

The second day of the Assembly was devoted to four group conferences in which the delegates discussed: (1) general problems concerning social work (2) child welfare work (3) juvenile delinquency (4) Daily Life Security Law and responsibilities of the Minsei-in. Observers at these smaller conferences report that many of the existing welfare problems were discussed thoroughly and various view points were presented.

2  
*Restricted*



*Restricted*

The third day of the conferences was devoted to receiving reports from the four specialized meetings held the previous day and to the adoption of resolution which are to be presented to the responsible Departments of government. One outstanding point of the conference was the joint participation of the Ministry of Welfare and the Ministry of Justice. Members of the Welfare Division, PH&W presented papers at several of the sessions of the conference.

## SECTION II

### VETERINARY AFFAIRS DIVISION

The Ministry of Agriculture and Forestry reported the following new outbreaks of animal diseases for the period 28 September - 4 October 1947.

<u>Prefecture</u>	<u>Disease</u>	<u>No. of Cases</u>
Nagasaki	Texas Fever	1
Saitama	Swine Erysipelas	1
Aichi	Swine Erysipelas	1
Shiga	Equine Encephalitis	2
Niigata	Equine Encephalitis	20
Chiba	Equine Encephalitis	6

## SECTION III

### NURSING AFFAIRS DIVISION

#### Personnel

Two American Public Health Nurses have arrived for assignment in the Prefectures.

Mrs. G. Roller - Saitama Military Government Team.  
Miss R. Johnson - I Corps, Regional Headquarters

#### Model Demonstration School

On 1 October 1947, 20 St. Luke's and 29 Red Cross first year students received their caps. On 2 October they were assigned to medical and surgical ward only under supervision of the clinical nursing instructors.

## SECTION IV

### SUPPLY DIVISION

#### Distribution

Ministry of Welfare officials report the production of bismuth subsalicylate exceeds the requirements of venereal disease clinics and that manufacturers are unable to dispose of stocks due to the fact that some prefectures will not authorize sale to private hospitals and physicians. In order to correct this situation prefectural distributing officials are being advised by the Ministry of Welfare to permit sales to private institutions and physicians. First priority will continue to be given to venereal disease clinics.

In the period 16-29 September, a total of 8,074 pieces of dusting and spraying equipment were shipped to prefectures under Ministry of Welfare supervision. A detailed breakdown follows:

<u>Prefecture</u>	<u>DDT Duster</u>	<u>Knapseck Sprayer</u>	<u>Semi-automatic Sprayer</u>	<u>Hand Sprayer</u>
Miyagi		470		
Saitama	24	6		12

3  
*Restricted*



*Restricted*

Prefecture	DDT Duster	Knap sack Sprayer	Semi-automatic Sprayer	Hand Sprayer
Kanagawa	120			
Niigata	72			
Ishikawa	984			84
Fukui	48	60		30
Nagano		100		
Shizuoka			200	300
Aichi				169
Kyoto		270		
Osaka	2,000			299
Fukuoka		200		10
Saga		290		
Nagasaki	984			3
Kumamoto				10
Oita		75	100	
Miyazaki	984	70	60	
Kagoshima		10	30	
Totals	5,216	1,551	390	917

#### Production

Releases of the following DDT Products and Typhus Vaccine were approved for the period 28 September - 4 October.

Prefecture	10% DDT Dust	5% Residual Effect DDT Sprav	Typhus Vaccine
Gumma	-	5,000 gallons	-
Nat'l. Inst of Health	100 lbs.	-	-
Totals	100 lbs.	5,000 gallons	-

A total of 3,767,982 lbs of 10% DDT Dust and 211,999 gallons represents stocks in wholesale warehouses of the Ministry of Welfare, Japanese Government, as of 27 September 1947.

The 25th weekly report of production of DDT duster and spraying equipment for mosquito and fly control program for 1947 indicates the following data for the period 21-27 September 1947.

	Total to date 20 Sept	No. Mfgd 21-27 Sept.	Total Mfgd to Date 27 Sept.	Total Shipped to Date 27 Sept.	Balance On Hand	To be Mfgd
DDT Dusters	64,796	100	64,896	62,630	2,266	25,104
Sprayer, knapsack type, 3 gal. cap.	39,443	-	39,443	15,249	24,194	-
Sprayer, pump type semi-automatic	23,808	-	23,808	11,179	12,629	-
Sprayer, hand type 1/2 gal. capacity	37,610	-	37,610	25,670	11,940	-
Totals	165,657	100	165,757	114,728	51,029	25,104

#### Narcotics

Transfer of all crude and semi-processed narcotics from the 5th Medical Depot in Kobe to pharmaceutical company warehouses in Osaka, by the Japanese Government under the supervision of Narcotic Control Officers, on 2 October places all such stocks in the hands of licensed narcotic dealers for processing as the medical needs of the Japanese people require. It is estimated the supply will be sufficient for a three to four year period at least. Production of codeine which is now in short supply will begin in February 1948 after the plants are reconstructed to provide necessary security for the narcotics during the entire process.

4  
*Restricted*



*Restricted*

Incomplete and inaccurate monthly narcotic reports furnished by the Japanese Government have been determined to be the result of various prefectures preparing inaccurate reports and submitting them to the Ministry of Welfare after the due date, the 10th of each month.

Corrective action has been taken at the national level. Narcotic Section, Ministry of Welfare, officials are to furnish the Narcotic Control Branch a list of prefectures who are habitually late with the monthly reports. Pending receipt of this information Military Government officers should determine that narcotic officials in the prefectural governments are preparing accurate reports and forwarding them promptly. These reports are the basis of all action taken with regard to narcotic activities in Japan relative to licensed dealers, and are worthless if inaccurate. The Japanese Government will suspend the license of any dealer who does not prepare and forward reports promptly as required by the narcotic law, and take any necessary action in regard to prefectural narcotic agents who do not comply with instructions issued by the Narcotic Section, Ministry of Welfare.

## SECTION V

### PREVENTIVE MEDICINE DIVISION

#### Typhus Fever

The 1947-1948 typhus fever season is present. Sanitary Teams now in operation should be retrained in typhus control procedures and be ready to take necessary steps to prevent typhus fever from becoming a major problem this year. Case-finding and vaccination teams should be re-organized and properly oriented for typhus control work.

Typhus conferences for Japanese Public Health officials and civilian doctors, nurses and other interested parties will begin in late October. The first in the series, will be held in Sapporo, Hokkaido. It is planned to conduct such meetings in the various administration regions of Japan as was done in previous years. Exact dates will be announced.

#### Sanitation

There is a general feeling that the insect breeding season is over for this year and there is not further need for the Sanitary Teams.

Many communities still do not have adequate permanent organizations to maintain proper environmental sanitation. The daily load of garbage and refuse is the same now as it was in the summer and fly and mosquito breeding, while not as heavy, will continue. It is highly desirable to prevent the accumulations of this refuse for economy of operation, as well as public health reasons.

It is also important to carry on residual spraying of homes at this time as they contain many adult mosquitoes that have had the optimum amount of time to become infected.

#### Tuberculosis control

Repeated inquiry should be made concerning the supply of x-ray films and its use in mass examination of school children, employees of factory groups etc. While the film may be available according to the film companies and supply sections, its purchase is often delayed by the authorities because of the apparent lack of funds. This will bear inquiry if the work in prevention and control of tuberculosis is to be continued.

#### Port Quarantine

Report of incoming communicable disease at repatriation centers.

*Restricted*



*Restricted*

Quarantine Station	Name of Vessel	Port of Departure	Date of Departure	Date of Entrance	Diagnosis	Date of Diagnosis	Cases	Deaths
Hakodate	Sinyo Maru	Nakhodaka	9/12/47	9/15/47	Baccillary Dysentery	9/20/48	1	0
Maizuru	Esan Maru	Nakhodaka	9/20/47	9/22/47	Baccillary Dysentery	9/27/47	1	0

## SECTION VI

### SOCIAL SECURITY DIVISION

On a recent prefectural survey of social insurances it was found that Health and National Health Insurance Hospitals may encounter difficulty in obtaining full-time doctors due to the low salaries paid.

National Health Insurance in some prefectures has exhibited an increase in activity and interest, which is indicated by the reorganization and increased membership of a few former suspended associations.

## SECTION VII

### MEDICAL SERVICE DIVISION

Japanese Civilian Hospital Strength Report for week ending 12 September shows 3,387 beds with a capacity of 214,865 beds, of which 109,420 were occupied. During this same period 341,931 out-patients were treated.

## SECTION VIII

### NUTRITION CONSULTANT

Data on food consumption for August 1947 in Tokyo, Kanazawa, and Sapporo cities with the surrounding areas are given in the attached tables.

## SECTION IX

### MEMORANDA TO JAPANESE GOVERNMENT

PHMJG-40	2 Oct 1947	Sixth Decennial Revision of the International Lists of Diseases and Causes of Death.
PHMJG-41	4 Oct 1947	Application for authorization to Release Former Japanese Military Narcotics.

*Crawford F. Sams*  
CRAWFORD F. SAMS  
Colonel, Medical Corps  
Chief

3 Incls: Weekly Summary Report of Cases and Deaths from Communicable Diseases in Japan, week ending 27 September 1947.

Monthly Summary Report of Cases and Deaths from Communicable Diseases in Japan, period ending 27 September 1947

Case and Death Rates by Months, All Japan and Each Prefecture, Jan-Jul 47; All Japan, Jan-Jul 46.

6  
*Restricted*



# RESULTS OF NUTRITION SURVEYS - JAPAN

Nutrients in grams and calories, and grams of various classes of food consumed per capita per day.

## Nutrients in Grams and Calories per Capita per Day

	Kanto Area (1)		Hokuriku Area (2)		Hokkaido Area (3)	
	Tokyo City	Rural	Kanazawa City	Rural	Sapporo City	Rural
<u>Number</u>	12613	20863	2120	2385	2325	3091
<u>Pop. Ratio</u> <u>Adult Unit</u> <u>No. persons</u>	0.820	0.902	0.790	0.859	0.802	0.394
<u>Protein</u>						
Animal	9.6	2.8	18.4	11.2	10.2	7.5
Vegetable	47.4	55.0	56.1	49.6	45.4	62.2
Total	57.0	57.8	74.5	60.8	55.7	69.7
<u>Fat</u>	11.9	9.6	20.0	12.8	17.5	18.3
<u>Carbohydrate</u>	311.1	417.5	388.5	409.7	300.9	545.4
<u>Calories</u>						
Ration	1029	106	1342	235	873	376
Free Market	610	32	699	90	618	73
Home Production	38	1897	20	1719	74	1643
Gift	27	10	33	7	48	-
Total	1704	2045	2094	2051	1613	2092

(1) Tokyo Area - Ibareki, Tochigi, Gumma, Chiba, Tokyo, Saitama and Kanagawa.

(2) Kanazawa Area - Toyama, Ishikawa and Fukui.

(3) Hokkaido Area - Sapporo.



Grams of Various Classes of Food Consumed per Capita per Day  
from Nutrition Surveys - Japan

	Kantô Area		Hokuriku Area		Hokkaido Area	
	Tokyo City	(1) Rural	Kanazawa City	(2) Rural	Sepporo City	(3) Rural
<u>Grains</u>						
Rice	111.5	259.1	184.0	392.5	112.3	128.7
Wheat	179.7	95.1	73.4	22.1	61.9	37.1
Barley	29.4	104.3	17.8	23.0	35.3	74.8
Others	70.0	11.4	114.9	1.6	123.1	144.4
Total	390.6	469.9	390.1	439.2	332.6	385.0
<u>Nuts, Etc.</u>	0.3	0.2	-	0.5	-	-
<u>Potatoes</u>						
Sweet	5.7	13.8	1.3	12.4	-	-
White	139.0	214.9	386.4	265.4	120.7	399.3
Others	-	0.3	0.2	1.0	-	1.0
Total	144.7	229.0	387.9	278.8	120.7	400.3
<u>Sugars</u>	0.8	0.04	0.8	0.1	0.6	2.0
<u>Oils</u>	1.4	0.9	0.8	0.3	7.0	1.3
<u>Legumes</u>						
Soya	1.1	1.5	0.8	9.1	14.5	2.9
Soya Products	14.7	45.9	40.5	46.1	24.9	49.7
Other Beans	7.1	5.6	6.0	3.9	26.9	68.7
Total	22.9	53.0	47.3	59.1	66.3	121.3
<u>Animal Foods</u>						
Fish	41.3	10.0	95.3	40.7	44.6	29.3
Meat, Poultry	2.9	0.3	2.1	0.3	4.2	3.2
Eggs	1.6	1.5	1.3	0.3	3.1	2.6
Milk	0.5	3.2	0.9	0.4	6.0	38.4
Total	46.3	15.0	99.6	41.7	57.9	73.5
<u>Leafy, Green &amp; Yellow Vegetables</u>	118.4	105.0	80.1	130.9	72.8	57.1
<u>Other Fruits &amp; Vegetables</u>						
Citrus, Tomatoes	70.6	32.3	34.4	30.3	1.2	0.5
Other Fruits	7.0	4.2	21.0	4.2	3.8	5.4
Other Veg.	99.1	105.7	340.5	235.0	79.4	88.7
Total	239.7	142.2	395.9	269.5	84.4	94.6
<u>Seaweeds</u>	2.1	0.8	6.9	1.4	1.5	1.6
<u>Processed Veg.</u>						
Dried	0.2	0.5	0.8	0.1	1.0	-
Pickled	17.6	47.5	0.4	82.3	64.0	45.7
Total	17.8	48.0	1.2	82.4	65.3	45.7
<u>Flavours</u>	18.7	11.9	4.0	8.3	19.6	7.3



DIGEST OF WEEKLY REPORT OF COMMUNICABLE DISEASES  
IN JAPAN FOR THE WEEK ENDING 27 SEPTEMBER 1947

There was a total of 13,358 communicable disease cases reported for the week ending 27 September 1947 compared with 13,822 reported in the preceding week. Current reports were not received from Aomori and Iwate Prefectures. However, delayed reports from 5 prefectures (Yamagata, Gumma, Saitama, Wakayama, and Miyazaki) were included in this report. Approximately 78 percent of the total cases were credited to: tuberculosis (7,607), whooping cough (1,591), pneumonia (946), measles (304), and influenza (34). No data on deaths for these diseases were available.

The remaining 12 communicable diseases included in this report accounted for 2,876 cases currently; this was a slight increase over the number (2,782) reported in the preceding week. Deaths decreased from 411 to 383. More than 80 percent of both cases and deaths from these 12 acute communicable diseases were due to dysentery (1,348 cases and 273 deaths), typhoid fever (612 cases and 44 deaths), and diphtheria (416 cases and 23 deaths).

Diphtheria cases (416) in the current week increased approximately 25 percent from 333 in the preceding week. Deaths increased 21 percent from 19 to 23. The current and cumulative case rates per 100,000 population per annum were 278 and 37.0 respectively. Corresponding death rates were 1.5 and 3.1.

The incidence of dysentery remained about the same. There were 1,348 cases and 273 deaths currently compared with 1,328 cases and 288 deaths in the preceding week. The current and cumulative case rates were 90.1 and 59.3 respectively. Corresponding death rates were 18.2 and 10.6.

Typhoid fever cases increased slightly from 582 to 612. Deaths decreased for the fourth consecutive week. The number of deaths (44) in the current week were 29 percent less than the number (62) reported in the previous week. The current and cumulative case rates were 40.9 and 24.8 respectively. Both the current and cumulative death rates were 2.9.

There was little change in the incidence of paratyphoid fever. There were 119 cases and 10 deaths currently compared with 124 cases and 7 deaths in the preceding week. The current and cumulative case rates were 8.0 and 6.6 respectively. Corresponding death rates were 0.7 and 0.4.

There were 2 cases and no deaths reported for smallpox this week compared with 1 case and no deaths in the previous week. Both cases were reported in Hokkaido. The current and cumulative case rates were 0.1 and 0.7 respectively. The cumulative death rate was 0.1.

Four cases of typhus fever were reported currently compared with 2 in the preceding week. No deaths were reported in the last two weeks. The current and cumulative case rates were 0.3 and 1.7 respectively. The cumulative death rate was 0.1.

Malaria cases decreased approximately 23 percent from 318 to 245. There were 2 deaths currently compared with no deaths last week. The current and cumulative case rates were 16.4 and 17.6 respectively. Corresponding death rates were 0.1 and 0.03.

Scarlet fever cases increased nearly 43 percent from 35 to 50. No deaths were reported in the current week; there were 2 deaths last week. The current case rate (3.3) is approximately the same as the cumulative case rate (3.4). The cumulative death rate was 0.1.

Epidemic meningitis cases (50) were 61 percent greater than the number (31) reported in the preceding week. Deaths declined from 15 to 14. The current and cumulative case rates were 3.3 and 5.2 respectively. Corresponding death rates were 0.9 and 1.7.

Japanese "B" encephalitis suspect cases rose from 28 to 30. Deaths decreased from 18 to 17. The current and cumulative suspect case rates were 2.0 and 0.3 respectively. Corresponding death rates were 1.1 and 0.2.



Three additional cases of Japanese "B" encephalitis were confirmed, making a total of 7 confirmed cases to date in 1947. The confirmed cases are all in southern Japan; Kochi (4), Okayama (2), and Ehime (1). An additional 50 suspect cases whose laboratory examinations are incomplete, have been classed as suspicious. Single positive specimens have been received on these 50 cases, but a second positive seriological specimen showing at least a threefold rise in titer is necessary before these cases can be considered confirmed Japanese "B" encephalitis.

There continued to be no cases reported of cholera or plague.

The current and cumulative number of cases reported for chancroid were 798 and 30,599, respectively; for gonorrhea 4,937 and 159,031, and for syphilis 3,334 and 107,836.



# SUMMARY REPORT OF CASES AND DEATHS FROM COMMUNICABLE DISEASES IN JAPAN

Week Ending 27 September 1947

PREFECTURE	DIPHTHERIA				DYSENTERY			
	CURRENT		CUMULATIVE		CURRENT		CUMULATIVE	
	CASES	DEATHS	CASES	DEATHS	CASES	DEATHS	CASES	DEATHS
HOKKAIDO	24	3	1857	213	75	14	1208	109
AOMORI	NR	NR	338	30	NR	NR	253	24
IWATE	NR	NR	292	26	NR	NR	704	62
MIYAGI	*-1	-	432	13	49	1	618	55
AKITA	17	2	466	33	37	2	335	55
YAMAGATA	16	-	527	35	176	13	1363	104
FUKUSHIMA	1	-	350	8	*-115	*-3	2130	267
IBARAKI	6	3	418	42	43	19	1590	418
TOCHIGI	8	-	533	32	14	-	1166	183
GUMMA	16	1	254	52	36	10	1325	199
SAITAMA	26	-	468	47	77	19	1434	251
CHIBA	2	-	351	28	26	11	885	172
TOKYO	20	2	1297	200	180	29	2569	589
KANAGAWA	5	-	433	29	23	4	631	117
NIIGATA	16	-	571	33	92	9	1617	227
TOYAMA	2	-	182	11	9	1	179	10
ISHIKAWA	15	1	475	22	4	-	183	33
FUKUI	1	-	180	10	*-1	*-1	325	41
YAMANASHI	-	-	83	8	7	1	633	64
NAGANO	6	-	491	37	51	4	1522	147
GIFU	4	-	160	17	11	3	580	174
SHIZUOKA	3	-	418	43	23	3	1018	223
AICHI	21	2	1247	73	61	14	1700	423
MIE	17	-	507	28	23	3	444	109
SHIGA	5	-	167	12	3	2	289	38
KYOTO	-	-	424	45	25	8	714	103
OSAKA	1	1	340	40	43	22	707	177
HYOGO	10	-	666	51	68	7	1161	230
NARA	3	-	138	7	4	-	137	16
WAKAYAMA	2	-	184	5	9	4	123	31
TOTTORI	4	-	133	13	16	5	163	33
SHIMANE	8	-	380	15	13	4	375	108
OKAYAMA	5	-	294	24	26	10	364	103
HIROSHIMA	13	-	481	29	43	9	483	138
YAMAGUCHI	13	-	521	46	14	5	250	91
TOKUSHIMA	4	-	233	8	41	7	744	111
KAGAWA	5	1	214	14	22	6	473	76
EHIME	10	-	707	66	37	8	876	168
KOCHI	6	1	251	18	7	3	280	70
FUKUOKA	21	2	1366	90	15	1	560	102
SAGA	15	-	623	51	10	2	185	34
NAGASAKI	10	-	470	53	13	2	497	94
KUMAMOTO	7	-	161	24	5	-	327	83
OITA	19	1	562	36	4	2	286	73
MIYAZAKI	18	2	439	35	20	6	503	106
KAGOSHIMA	12	1	497	65	9	4	685	128
TOTAL	416	23	21581	1817	1348	273	34594	6174
Rate								
Current	27.8	1.5	37.0	3.1	90.1	18.2	59.3	10.6
Previous	22.3	1.3	37.2	3.2	38.8	19.3	58.5	10.4

Rate per 100,000 per Annum

Rates based upon estimated population 1 July 1947

\* Corrections



Weekly Report 27 Sept 47  
Continued

PREFECTURE	TYPHOID				PARATYPHOID			
	CURRENT CASES	DEATHS	CUMULATIVE CASES	DEATHS	CURRENT CASES	DEATHS	CUMULATIVE CASES	DEATHS
HOKKAIDO	19	4	597	69	5	1	180	8
AOMORI	NR	NR	172	24	NR	NR	26	1
IWATE	NR	NR	140	18	NR	NR	39	1
MIYAGI	5	-	316	24	1	-	215	8
AKITA	9	3	125	25	-	-	42	3
YAMAGATA	18	1	311	48	4	-	95	5
FUKUSHIMA	23	*-1	378	37	8	1	88	10
IBARAKI	18	2	332	35	5	-	156	8
TOCHIGI	7	2	347	51	5	-	84	5
GUJA	27	1	227	35	5	-	66	4
SAITAMA	33	3	378	36	1	-	69	7
CHIBA	5	-	327	22	8	-	115	3
TOKYO	44	6	1092	138	6	1	399	18
KANAGAWA	12	1	569	74	7	2	128	8
NIIGATA	21	2	469	58	12	-	137	4
TOYAMA	7	2	332	27	1	-	99	1
ISHIKAWA	7	-	172	15	2	-	41	1
FUKUI	4	1	138	17	*-4	-	34	1
YAMANASHI	3	-	122	6	-	-	44	1
NAGANO	14	-	269	26	2	-	118	13
GIFU	45	1	449	46	3	2	115	11
SHIZUOKA	17	-	450	45	4	-	114	16
AICHI	32	5	805	87	3	-	175	5
MIE	15	2	688	74	2	-	99	9
SHIGA	3	-	100	10	-	-	23	3
KYOTO	7	2	331	36	2	-	76	5
OSAKA	13	4	491	82	7	1	248	7
HYOGO	31	8	810	106	4	1	90	10
NARA	2	-	121	11	-	-	12	-
WAKAYAMA	36	3	390	35	3	-	60	1
TOTTORI	5	-	128	8	1	-	23	-
SHIMANE	5	-	229	29	1	-	104	4
OKAYAMA	18	1	283	32	1	-	19	1
HIROSHIMA	28	2	583	62	7	-	141	10
YAMAGUCHI	1	1	93	9	1	-	25	1
TOKUSHIMA	8	*-18	230	31	-	1	34	5
YAGAWA	12	3	166	25	2	-	59	1
EHIME	3	1	151	22	1	-	32	1
KOCHI	21	2	369	44	-	-	34	2
FUKUOKA	6	-	274	26	1	-	50	2
SAGA	3	-	67	3	-	-	23	1
NAGASAKI	8	-	74	6	3	-	28	2
KUMAMOTO	5	-	92	12	2	-	22	-
OITA	6	-	82	8	-	-	8	-
MIYAZAKI	6	-	148	30	3	-	33	2
KAGOSHIMA	-	-	25	5	-	-	14	-
TOTAL	612	44	14442	1669	119	10	3836	209

Rate

Current	40.9	2.9	24.8	2.9	8.0	0.7	6.6	0.4
Previous	38.9	4.1			8.3	0.5		

Rate per 100,000 per Annum

Rates based upon estimated population 1 July 1947

\* Corrections



Weekly Report 27 Sept 47  
Continued

PREFECTURE	SMALLPOX				TYPHUS FEVER			
	CURRENT		CUMULATIVE		CURRENT		CUMULATIVE	
	CASES	DEATHS	CASES	DEATHS	CASES	DEATHS	CASES	DEATHS
HOKKAIDO	2	-	44	8	1	-	53	8
AOMORI	NR	NR	-	-	NR	NR	8	-
IWATE	NR	NR	1	1	NR	NR	-	-
MIYAGI	-	-	1	1	-	-	20	3
AKITA	-	-	12	1	-	-	2	1
YAMAGATA	-	-	8	3	-	-	42	4
FUKUSHIMA	-	-	1	-	-	-	4	-
IBARAKI	-	-	21	1	-	-	36	4
TOCHIGI	-	-	23	2	-	-	6	2
GUMMA	-	-	3	-	-	-	4	3
SAITAMA	-	-	3	1	-	-	26	2
CHIBA	-	-	13	2	-	-	26	1
TOKYO	-	-	18	5	-	-	209	29
KANAGAWA	-	-	4	-	2	-	40	2
NIIGATA	-	-	3	1	-	-	12	1
TOYAMA	-	-	1	-	-	-	8	1
ISHIKAWA	-	-	1	-	-	-	10	-
FUKUI	-	-	-	-	-	-	5	3
YAMANASHI	-	-	-	-	-	-	7	-
NAGANO	-	-	3	-	-	-	9	1
GIFU	-	-	-	-	-	-	26	-
SHIZUOKA	-	-	3	-	-	-	30	-
AICHI	-	-	9	-	-	-	221	5
MIE	-	-	5	1	-	-	4	-
SHIGA	-	-	-	-	-	-	-	-
KYOTO	-	-	1	-	-	-	6	-
OSAKA	-	-	11	2	1	-	46	-
HYOGO	-	-	42	3	-	-	5	2
NARA	-	-	1	-	-	-	2	-
WAKAYAMA	-	-	31	1	-	-	17	1
TOTTORI	-	-	1	-	-	-	7	-
SHIMANE	-	-	7	-	-	-	8	-
OKAYAMA	-	-	11	-	-	-	5	-
HIROSHIMA	-	-	3	1	-	-	2	-
YAMAGUCHI	-	-	7	-	-	-	16	1
TOKUSHIMA	-	-	1	-	-	-	2	-
KAGAWA	-	-	4	-	-	-	52	6
EHIME	-	-	13	2	-	-	6	-
KOCHI	-	-	1	-	-	-	2	-
FUKUOKA	-	-	40	1	-	-	3	-
SAGA	-	-	5	1	-	-	1	-
NAGASAKI	-	-	2	-	-	-	7	1
KUMAMOTO	-	-	3	-	-	-	3	-
OITA	-	-	2	-	-	-	1	1
MIYAZAKI	-	-	1	-	-	-	7	-
KAGOSHIMA	-	-	18	-	-	-	-	-
TOTAL	2	0	382	38	4	0	1006	82
Rate								
Current	0.1	0.0	0.7	0.1	0.3	0.0	1.7	0.1
Previous	0.1	0.0			1.0	0.0		

Rate per 100,000 per Annum  
Rates based on estimated population 1 July 1947



Weekly Report - 27 September 1947  
Continued

PREFECTURE	MALARIA				CHOLERA			
	Current Cases	Deaths	Cumulative Cases	Deaths	Current Cases	Deaths	Cumulative Cases	Deaths
HOKKAIDO	7	-	238	1	-	-	-	-
AOMORI	NR	NR	153	-	NR	NR	-	-
IWATE	NR	NR	149	-	NR	NR	-	-
MIYAGI	-	-	22	-	-	-	-	-
AKITA	5	-	162	-	-	-	-	-
YAMAGATA	NR	-	99	-	-	-	-	-
FUKUSHIMA	* -1	-	218	-	-	-	-	-
IBARAKI	3	2	296	2	-	-	-	-
TOCHIGI	1	-	90	-	-	-	-	-
GUMMA	-	-	75	-	-	-	-	-
SAITAMA	5	-	51	1	-	-	-	-
CHIBA	-	-	93	-	-	-	-	-
TOKYO	10	-	653	-	-	-	-	-
KANAGAWA	1	-	392	-	-	-	-	-
NIIGATA	15	-	242	1	-	-	-	-
TOYAMA	5	-	144	-	-	-	-	-
ISHIKAWA	3	-	53	-	-	-	-	-
FUKUI	3	-	61	-	-	-	-	-
YAMANASHI	* -12	-	63	-	-	-	-	-
NAGANO	1	-	168	-	-	-	-	-
GIFU	NR	-	21	-	-	-	-	-
SHIZUOKA	2	-	167	-	-	-	-	-
AICHI	4	-	237	-	-	-	-	-
MIE	3	-	211	-	-	-	-	-
SHIGA	69	-	1685	-	-	-	-	-
KYOTO	NR	-	139	-	-	-	-	-
OSAKA	15	-	123	-	-	-	-	-
HYOGO	9	-	278	-	-	-	-	-
NARA	-	-	52	-	-	-	-	-
WAKAYAMA	4	-	69	-	-	-	-	-
TOTTORI	-	-	133	-	-	-	-	-
SHIMANE	1	-	106	-	-	-	-	-
OKAYAMA	6	-	60	-	-	-	-	-
HIROSHIMA	2	-	215	-	-	-	-	-
YAMAGUCHI	3	-	254	-	-	-	-	-
TOKUSHIMA	5	-	198	-	-	-	-	-
KAGAWA	7	-	139	-	-	-	-	-
EHIME	8	-	438	1	-	-	-	-
KOCHI	1	-	96	1	-	-	-	-
FUKUOKA	16	-	855	6	-	-	-	-
SAGA	-	-	268	3	-	-	-	-
NAGASAKI	8	-	171	-	-	-	-	-
KUMAMOTO	1	-	192	-	-	-	-	-
OITA	9	-	323	3	-	-	-	-
MIYAZAKI	7	-	167	1	-	-	-	-
KAGOSHIMA	19	-	257	-	-	-	-	-
TOTAL	245	2	10276	20	0	0	0	0

RATES

Current	16.4	0.1	17.6	0.03	0.0	0.0	0.0	0.0
Previous	21.3	0.0			0.0	0.0		

Rates per 100,000 per annum

Rates based on estimated population 1 July 1947.

\* Correction



Weekly Report - 27 September 1947  
Continued

PREFECTURE	SCARLET FEVER				EPIDEMIC MENINGITIS				JAP B ENCEPHALITIS (SUSPECTS)			
	Current		Cumulative		Current		Cumulative		Current		Cumulative	
	(C)	(D)	(C)	(D)	(C)	(D)	(C)	(D)	(C)	(d)	(C)	(D)
HOKKAIDO	7	-	283	8	3	-	344	93	-	-	-	-
AOMORI	NR	NR	18	1	NR	NR	90	18	NR	NR	2	-
IWATE	NR	NR	24	4	NR	NR	56	16	NR	NR	-	1
MIYAGI	3	-	72	1	3	-	116	16	1	-	1	-
AKITA	-	-	24	1	1	-	80	35	-	-	1	1
YAMAGATA	1	-	33	1	1	-	65	19	-	-	-	-
FUKUSHIMA	*-1	-	39	1	-	-	133	37	-	-	-	-
IBARAKI	2	-	48	1	2	-	183	56	-	-	-	-
TOCHIGI	-	-	36	-	-	-	30	13	-	-	1	-
GUMMA	2	-	60	2	1	-	36	16	-	-	1	1
SAITAMA	2	-	36	-	1	1	65	26	-	-	-	-
CHIBA	2	-	41	1	-	-	56	18	-	-	-	-
TOKYO	9	-	376	8	3	1	618	250	-	-	4	-
KANAGAWA	2	-	91	1	-	-	72	22	-	-	-	-
NIIGATA	1	-	18	1	1	-	66	21	-	-	1	-
TOYAMA	-	-	14	-	1	-	19	2	1	1	1	1
ISHIKAWA	-	-	6	1	1	-	42	10	-	-	-	-
FUKUI	-	-	5	-	-	-	12	5	-	-	1	-
YAMANASHI	2	-	22	1	-	-	26	3	-	-	-	-
NAGANO	2	-	71	1	-	-	37	6	-	-	-	-
GIFU	-	-	21	1	1	1	17	5	-	-	1	1
SHIZUOKA	-	-	122	-	-	-	88	20	-	-	-	-
AICHI	4	-	85	1	3	2	37	8	-	-	-	-
MIE	1	-	34	1	-	-	23	4	-	-	2	2
SHIGA	1	-	28	-	1	-	22	8	-	-	-	-
KYOTO	2	-	120	2	1	-	64	14	-	-	2	-
OSAKA	-	-	46	-	5	1	121	25	12	4	20	11
HYOGO	1	-	46	1	4	1	63	24	3	-	10	3
NARA	-	-	8	-	-	-	5	-	-	-	-	-
WAKAYAMA	-	-	7	-	-	-	9	3	-	-	-	-
TOTTORI	-	-	6	-	3	-	39	11	3	-	20	8
SHIMANE	1	-	29	-	1	-	13	4	2	2	6	3
OKAYAMA	-	-	16	-	-	1	11	7	-	4	58	29
HIROSHIMA	2	-	19	2	7	3	62	20	2	1	6	4
YAMAGUCHI	-	-	12	-	-	-	33	5	-	-	-	-
TOKUSHIMA	-	-	3	-	1	-	9	4	*-1	-	1	1
KAGAWA	-	-	13	2	-	-	17	6	-	-	31	15
EHIME	1	-	18	-	-	-	31	19	7	5	11	6
KOCHI	1	-	9	-	-	-	22	7	-	-	13	3
FUKUOKA	-	-	15	2	1	1	76	52	-	-	-	-
SAGA	-	-	2	-	-	-	16	6	-	-	-	-
NAGASAKI	2	-	16	1	2	1	26	12	-	-	1	1
KUMAMOTO	-	-	4	-	1	-	29	8	-	-	2	2
OITA	-	-	2	-	-	-	10	2	-	-	1	1
MIYAZAKI	-	-	11	-	1	1	17	4	-	-	-	-
KAGOSHIMA	-	-	3	-	-	-	30	13	-	-	-	-
TOTAL	50	0	2012	47	50	14	3036	973	30	17*	198	94
Rate												
Current	3.3	0.0	3.4	0.1	3.3	0.9	5.2	1.7	2.0	1.1	0.3	0.2
Previous	2.3	0.1			2.1	1.0			1.9	1.2		

Rate per 100,000 per Annum  
Rates based on estimated population 1 July 1947  
\* Correction  
Plague: 0  
\* 7 Cases confirmed



Weekly Report 27 September 1947  
Continued

PREFECTURE	MEASLES	WHOOPIING COUGH	TUBERCULOSIS
	Cases	Cases	Cases
HOKKAIDO	105	194	616
AOMORI	NR	NR	NR
IWATE	NR	NR	NR
MIYAGI	23	35	165
AKITA	14	75	152
YAMAGATA	23	16	79
FUKUSHIMA	2	10	316
IBARAKI	7	30	95
TOCHIGI	36	1	80
GUMMA	25	84	185
SAITAMA	41	12	141
CHIBA	-	8	116
TOKYO	5	60	635
KANAGAWA	2	47	271
NIIGATA	114	128	610
TOYAMA	22	33	185
ISHIKAWA	8	22	122
FUKUI	10	14	31
YAMANASHI	-39	-87	-164
NAAGANO	21	43	202
GIFU	NR	NR	NR
SHIZUOKA	3	17	156
AICHI	14	54	292
MIIE	6	27	54
SHIGA	5	21	68
KYOTO	NR	NR	NR
OSAKA	8	57	516
HYOGO	-297	53	238
NARA	-	8	43
WAKAYAMA	6	32	186
TOTTORI	2	8	76
SHIMANE	4	30	150
OKAYAMA	2	26	95
HIROSHIMA	8	64	218
YAMAGUCHI	-	10	52
TOKUSHIMA	25	14	120
KAGAWA	6	8	63
EHIME	22	67	181
KOCHI	10	17	70
TSUKUOKA	15	131	495
NAGA	13	15	91
TSAGASAKI	7	43	115
KUMAMOTO	4	5	64
OITA	5	35	111
MIZYAZAKI	7	78	211
KAGOSHIMA	10	46	105
TOTAL	304	1591	7607
RATE			
Current	20.3	106.4	508.5
Previous	57.2	135.4	472.8

Deaths not available

Rates per 100,000 per annum

Rates based on estimated population 1 July 1947.



Weekly Report - 27 September 1947  
Continued

PREFECTURE	PNEUMONIA Cases	INFLUENZA Cases
HOKKAIDO	85	-
AOMORI	-10	NR
IWATE	NR	NR
MIYAGI	25	-
AKITA	21	-
YAMAGATA	-49	-
FUKUSHIMA	54	-
IBARAKI	48	-
TOCHIGI	24	-
GUMMA	32	-
SAITAMA	22	-
CHIBA	9	-
TOKYO	32	1
KANAGAWA	48	-
NIIGATA	105	-
TOYAMA	8	-
ISHIKAWA	14	-
FUKUI	1	-
YAMANASHI	-38	-
NAGANO	40	-
GIFU	NR	NR
SHIZUOKA	18	-
AICHI	22	-
MIE	6	-
SHIGA	7	-
KYOTO	NR	NR
OSAKA	36	-
HYOGO	5	-
NARA	5	-
WAKAYAMA	30	-
TOTTORI	3	-
SHIMANE	14	-
OKAYAMA	19	-
HIROSHIMA	13	4
YAMAGUCHI	6	-
TOKUSHIMA	17	-
KAGAWA	14	-
EHIME	28	-
KOCHI	24	-
FUKUOKA	64	16
SAGA	20	-
NAGASAKI	25	-
KUMAMOTO	7	1
OKTA	25	12
MIYAZAKI	33	-
KAGOSHIMA	34	-
TOTAL	946	34
RATES		
Current	63.2	2.3
Previous	71.6	1.0

Rates based on estimated population 1 July 1947

Rates per 100,000 per annum

Deaths not available.



NUMBER OF CASES AND DEATHS OF COMMUNICABLE DISEASES  
FOR COMPARABLE PERIODS, 1946 AND 1947

Diseases	Week Ending		Four Weeks Ending		Cumulative Number	
	27 Sept. 1947	28 Sept. 1946	27 Sept. 1947	28 Sept. 1946	for first 39 weeks 1947	1946
<b>Cases</b>						
Diphtheria	416	840	1433	3057	21581	35663
Dysentery	1348	4555	7344	21247	34594	67193
Typhoid	612	951	2767	4422	14442	36414
Paratyphoid	119	211	685	1185	3836	7111
Smallpox	2	1	6	9	382	17656
Typhus Fever	4	18	12	67	1006	30726
Malaria	245	813	1231	4541	10276	NA
Cholera	0	11	0	206	0	1196
Scarlet Fever	50	38	155	133	2012	1454
Epidemic Meningitis	50	23	186	94	3036	1226
Jap. B. Encephalitis (Suspect)	30	9	125	35	198	NA
Plague	0	0	0	0	0	0
<b>Deaths</b>						
Diphtheria	23	47	67	156	1817	2888
Dysentery	273	608	1393	3038	6174	9507
Typhoid	44	143	294	523	1669	4247
Paratyphoid	10	13	41	68	209	359
Smallpox	0	0	0	8	38	2705
Typhus Fever	0	1	1	10	82	2794
Malaria	2	2	3	14	20	NA
Cholera	0	10	0	99	0	509
Scarlet Fever	0	1	3	6	47	85
Epidemic Meningitis	14	15	57	28	973	330
Jap. B. Encephalitis (Suspects)	17	6	65	19	94	NA
Plague	0	0	0	0	0	0

CASE AND DEATH RATES OF COMMUNICABLE DISEASES  
FOR COMPARABLE PERIODS, 1946 AND 1947

Diseases	Week Ending		Four Weeks Ending		Cumulative Rates	
	27 Sept. 1947	28 Sept. 1946	27 Sept. 1947	28 Sept. 1946	for first 39 Weeks 1947	1946
<b>Case Rate</b>						
Diphtheria	27.8	58.2	23.9	52.9	37.0	63.3
Dysentery	90.1	315.4	122.7	357.8	59.3	119.3
Typhoid	40.9	65.9	46.2	76.6	24.8	64.7
Paratyphoid	8.0	14.6	11.4	20.5	6.6	12.6
Smallpox	0.1	0.1	0.1	0.2	0.7	31.3
Typhus Fever	0.3	1.2	0.2	1.2	1.7	54.6
Malaria	16.4	56.3	20.6	78.6	17.6	NA
Cholera	0.0	0.6	0.0	3.6	0.0	2.1
Scarlet Fever	3.3	2.6	2.6	2.3	3.4	2.6
Epidemic Meningitis	3.3	1.6	3.1	1.6	5.2	2.2
Jap. B. Encephalitis (Suspect)	2.0	0.6	2.1	0.6	0.3	NA
Plague	0.0	0.0	0.0	0.0	0.0	0.0
<b>Death Rate</b>						
Diphtheria	1.5	3.3	1.1	2.7	3.1	5.1
Dysentery	18.2	42.1	23.3	52.6	10.6	16.9
Typhoid	2.9	9.9	4.9	9.1	2.9	7.5
Paratyphoid	0.7	0.9	0.7	1.2	0.4	0.6
Smallpox	0.0	0.0	0.0	0.1	0.1	4.8
Typhus Fever	0.0	0.1	0.02	0.2	0.1	5.0
Malaria	0.1	0.1	0.1	0.2	0.03	NA
Cholera	0.0	0.7	0.0	1.7	0.0	0.9
Scarlet Fever	0.0	0.1	0.1	0.1	0.1	0.2
Epidemic Meningitis	0.9	1.0	1.0	0.5	1.7	0.6
Jap. B. Encephalitis (Suspect)	1.1	0.4	1.1	0.3	0.2	NA
Plague	0.0	0.0	0.0	0.0	0.0	0.0

NA: Not available

rates per 100,000 population per annum



WEEKLY SUMMARY REPORT  
OF  
VENEREAL DISEASES IN JAPAN

WEEK ENDING 27 SEPTEMBER 1947

(C) Current cases plus delayed reports  
(T) Total cases for year to date

PREFECTURE	CHANCROID		GONORRHEA		SYPHILIS	
	(C)	(T)	(C)	(T)	(C)	(T)
HOKKAIDO	7	944	122	6518	55	3476
AOMORI	NR	292	*-18	2012	*-9	1222
IWATE	NR	134	NR	710	NR	911
MIYAGI	4	279	91	2316	31	1501
AKITA	8	170	47	1290	60	1004
YAMAGATA	1	142	47	1116	97	1531
FUKUSHIMA	19	331	97	2967	22	2040
IBARAKI	11	485	67	1947	65	1918
TOCHIGI	6	311	54	2448	28	2219
GUMMA	5	204	71	1596	86	1878
SAITAMA	8	554	29	2419	23	1610
CHIBA	21	610	59	2886	32	1844
TOKYO	40	1331	100	5048	62	3704
KANAGAWA	47	1225	378	9882	150	4869
NIIGATA	9	375	80	2482	55	2127
TOYAMA	3	317	52	2480	33	1947
ISHIKAWA	7	489	109	3004	48	1879
FUKUI	8	334	49	1363	28	959
YAMANASHI	-	64	42	1381	9	506
NAGANO	3	244	72	2698	46	1961
GIFU	9	547	120	3135	31	1281
SHIZUOKA	40	591	143	2856	121	2698
AICHI	60	2672	302	11189	125	6027
MIE	19	967	45	2018	45	1984
SHIGA	11	726	37	1366	20	1260
KYOTO	29	1477	106	5932	64	3294
OSAKA	77	3654	346	13758	331	11697
HYOGO	46	1395	277	6839	367	6872
NARA	4	436	16	811	20	822
WAKAYAMA	17	855	109	2943	75	1757
TOTTORI	7	287	51	2617	23	1306
SHIMANE	2	132	25	1321	26	1183
OKAYAMA	31	1283	166	4674	83	2809
HIROSHIMA	17	905	165	6278	95	2841
YAMAGUCHI	11	360	55	2783	61	1682
TOKUSHIMA	7	106	38	1032	32	957
KAGAWA	25	519	68	1969	58	1183
EHIME	9	237	80	2668	40	2508
KOCHI	4	253	36	1290	16	1000
FUKUOKA	119	2321	581	9290	428	5575
SAGA	8	301	160	3405	54	1723
NAGASAKI	15	601	196	5175	126	2470
KUMAMOTO	3	268	67	3155	61	2163
OITA	11	638	66	2357	40	1573
MIYAZAKI	4	64	69	1364	49	829
KAGOSHIMA	6	169	65	2243	22	1236
TOTALS	798	30599	4937	159031	3334	107836
RATE						
Current	53.3	52.4	330.0	272.6	222.9	184.8
Previous	50.1	52.4	288.7	271.1	203.4	183.8

Rates per 100,000 per annum

Rates based on estimated population 1 July 1947

\*Corrections







DIGEST OF MONTHLY REPORT OF COMMUNICABLE DISEASES  
IN JAPAN FOR THE FOUR WEEK PERIOD ENDING 27 SEPTEMBER 1947

In September, there were decreases recorded in the morbidity rates for dysentery, typhoid fever, paratyphoid fever, typhus fever, malaria, and scarlet fever. Diphtheria and suspect Japanese "B" Encephalitis case rates showed marked increases from the August figures. Only 3 of the diseases (scarlet fever, epidemic meningitis, and suspect Japanese "B" Encephalitis) showed a higher rate for September 1947 as compared with the corresponding month of 1946. References to the month of September 1946 and 1947 are for 4-week periods, but data for August of 1947 covers a 5-week period. Care should be taken to compare only the rates rather than the numbers of cases or deaths because of the fact that the true periods vary from 4 to 5 weeks in length.

There were 13,944 cases and 1,924 deaths reported during September for the 12 communicable diseases included in this report. Approximately 97 percent of the total cases due to the following diseases: dysentery (7,344), typhoid fever (2,767), diphtheria (1,433), malaria (1,231), and paratyphoid fever (685). Nearly 88 percent of all deaths were due to dysentery (1,393) and typhoid fever (294).

There were reported in addition, 50,960 cases for the following diseases for which prefectural data are not shown in this report. Cases and case rates per 100,000 population per annum for these diseases were: tuberculosis, 33,236 and 555.5 respectively; for whooping cough 10,028 and 167.6; for pneumonia 4,350 and 72.7; for measles 3,234 and 54.0; and for influenza, 112 and 1.9.

The diphtheria case rate increased nearly 32 percent from 18.0 in August to 23.9 in the current month. The death rate remained at 1.1. In September 1946, the case and death rates were 52.9 and 2.7 respectively.

The dysentery case rate in September (122.7) decreased 47 percent below the August figure (231.7). The death rate decreased approximately 40 percent (38.7 to 23.3). In September 1946, the case and death rates were 367.3 and 52.6 respectively.

The case rate for typhoid fever decreased nearly 10 percent from 51.0 last month to 46.2 currently. Death rates decreased 14 percent from 5.7 to 4.9. The case and death rates for typhoid fever in September 1946, were 76.6 and 9.1 respectively.

The paratyphoid fever case rate decreased nearly 13 percent from 13.1 in August to 11.4 in the current month. The death rate remained at 0.7. The case and death rates for September 1947, (11.4 and 0.7 respectively) are more than 40 percent less than the corresponding rates (20.5 and 1.2) for the same month last year.

The case rate for smallpox in the current month was 0.1 compared with 0.03 last month. No deaths were reported in either month. The case and death rates in September 1946 were 0.2 and 0.1, respectively.

The current case and death rates for typhus fever were 0.2 and 0.02 respectively, compared with 0.5 (case rate) and 0.04 (death rate) in the preceding month. The case and death rates in September 1946 were 1.2 and 0.2 respectively.

The malaria case rate decreased 32 percent from 30.3 to 20.6. The death rate for the current month was 0.1 compared with 0.03 last month. The case and death rates for September 1946 were 78.5 and 0.2 respectively.

The scarlet fever case rate declined from 3.0 in August to 2.6 in September. The death rate remained at 0.1. The case and death rates for September 1946 were 2.3 and 0.1 respectively.

The case rate for epidemic meningitis in September was 3.1 compared with 3.0 in August. The current death rate (1.0) was less than the August rate (1.5). The current case and death rates were nearly double the corresponding rates reported in September 1946 (1.6 case rate and 0.5 death rate).

Both the case and death rates (2.1 and 1.1 respectively) for "suspect" Japanese "B" Encephalitis in September are more than double the corresponding rates (0.9 and 0.3) reported for August. Only 7 cases have been confirmed to date in 1947. The case and death rates for September 1946 were 0.6 and 0.3, respectively.



No cholera or plague have been reported in 1947. In September 1946, there were 206 cases of cholera and 99 deaths, with death rates of 3.6 and 1.7.

Also attached to this report are revised monthly tabulations showing case and death rates for communicable diseases reported during the first 7 months of 1947. The revised rates are based upon newly estimated populations, as of 1 July 1947.



SUMMARY REPORT OF CASES AND DEATHS FROM  
COMMUNICABLE DISEASES IN JAPAN  
4 WEEK PERIOD ENDING 27 Sept 1947

PREFECTURE	DIPHTHERIA				DYSENTERY			
	Cases		Deaths		Cases		Deaths	
	(N)	(R)	(N)	(R)	(N)	(R)	(N)	(R)
HOKKAIDO	89	31.2	7	2.5	442	154.8	41	14.4
AOMORI	18	20.2	-	-	89	99.8	4	4.5
IWATE	10	10.0	-	-	234	235.0	19	19.1
MIYAGI	20	16.7	1	0.8	281	234.8	22	18.4
AKITA	53	54.1	3	3.1	126	128.7	15	15.3
YAMAGATA	27	25.5	-	-	475	448.4	25	23.6
FUKUSHIMA	26	16.6	-	-	466	296.8	85	54.1
IBARAKI	34	21.4	7	4.4	255	160.5	88	55.4
TOCHIGI	30	24.4	1	0.8	136	110.5	16	13.0
GUMMA	26	20.8	3	2.4	95	76.1	28	22.4
SAITAMA	44	26.5	-	-	165	99.4	32	19.3
CHIBA	17	10.3	1	0.6	150	91.2	39	23.7
TOKYO	61	17.8	6	1.8	525	153.3	132	38.6
KANAGAWA	25	15.1	1	0.6	118	71.4	25	15.1
NIIGATA	73	38.3	1	0.5	420	220.6	35	18.4
TOYAMA	10	13.1	-	-	27	35.4	1	1.3
ISHIKAWA	36	50.1	1	1.4	30	41.8	6	8.4
FUKUI	6	10.5	-	-	88	154.6	4	7.0
YAMANASHI	2	3.1	-	-	72	110.4	9	13.8
NAAGANO	37	22.3	1	0.6	388	233.7	34	20.5
GIFU	19	16.1	-	-	120	101.6	37	31.3
SHIZUOKA	29	15.7	1	0.5	197	106.5	49	26.5
AICHI	88	36.8	4	1.7	285	119.3	83	34.7
MIE	32	28.5	2	1.8	96	85.5	25	22.3
SHIGA	14	20.6	1	1.5	26	38.2	6	8.8
KYOTO	10	7.5	-	-	133	100.2	22	16.6
OSAKA	7	2.9	1	0.4	185	76.0	68	27.9
HYOGO	36	15.6	2	0.9	226	97.7	60	25.9
NARA	8	13.1	-	-	58	95.2	7	11.5
WAKAYAMA	11	14.4	-	-	20	26.2	8	10.5
TOTTORI	9	19.7	2	4.4	70	153.4	13	28.5
SHIMANE	34	48.9	-	-	107	154.0	29	41.7
OKAYAMA	25	19.9	-	-	113	89.8	36	28.6
HIROSHIMA	70	45.0	2	1.3	164	105.4	44	28.3
YAMAGUCHI	49	43.5	-	-	81	72.0	36	32.0
TOKUSHIMA	16	23.6	1	1.5	167	246.0	22	32.4
KAGAWA	12	16.8	1	1.4	78	109.2	15	21.0
EHIME	39	34.5	1	0.9	182	161.1	42	37.2
KOCHI	19	29.1	2	3.1	35	53.6	11	16.8
FUKUOKA	65	27.3	4	1.7	111	46.7	25	10.5
SAGA	43	61.3	-	-	51	72.7	4	5.7
NAGASAKI	34	29.3	2	1.7	63	54.3	11	9.5
KUMAMOTO	13	9.7	1	0.7	37	27.7	25	18.7
OITA	30	31.9	1	1.1	22	23.4	14	14.9
MIYAZAKI	43	54.8	4	5.1	73	93.1	24	30.6
KAGOSHIMA	34	25.5	2	1.5	62	46.5	17	12.7
*Sept 1947	1433	23.9	67	1.1	7344	122.7	1393	23.3
**Aug 1947	1349	18.0	86	1.1	17331	231.7	2893	38.7
*Sept 1946	3057	52.9	156	2.7	21247	367.8	3038	52.6

Rates per 100,000 per Annum

1947 Rates based on estimated population 1 July 1947

1946 Rates based on estimated population 1 July 1946

\* Sept 1946 and Sept 1947 - 4 week periods

\*\* Aug 1947 - 5 week period



Monthly Report - 27 September 1947  
Continued

PREFECT.	TYPHOID				PARATYPHOID			
	Cases		Deaths		Cases		Deaths	
	N	R	N	R	N	R	N	R
HOKKAIDO	163	57.1	11	3.9	55	19.3	1	0.4
AOMORI	49	55.0	5	5.6	12	13.5	-	-
IWATE	28	28.1	2	2.0	5	5.0	-	-
MIYAGI	42	35.1	2	1.7	23	19.2	1	0.8
AKITA	29	29.6	8	8.2	6	6.1	-	-
YAMAGATA	54	51.0	3	2.8	16	15.1	-	-
FUKUSHIMA	75	47.8	8	5.1	14	8.9	3	1.9
IBARA-KI	77	48.5	8	5.0	21	13.2	-	-
TOCHIGI	51	41.4	6	4.9	24	19.5	1	0.8
GUMMA	43	34.5	13	10.4	7	5.6	1	0.8
SAITAMA	76	45.8	5	3.0	9	5.4	1	0.6
CHIBA	42	25.5	4	2.4	20	12.2	-	-
TOKYO	189	55.2	27	7.9	59	17.2	2	0.6
KANAGAWA	60	36.3	9	5.4	17	10.3	2	1.2
NIIGATA	107	56.2	11	5.8	41	21.5	2	1.1
TOYAMA	57	74.7	4	5.2	22	28.8	-	-
ISHIKAWA	47	65.5	-	-	8	11.1	-	-
FUKUI	15	26.4	3	5.3	5	8.8	-	-
YAMANASHI	23	35.3	1	1.5	9	13.8	-	-
NAAGANO	58	34.9	3	1.8	33	19.9	4	2.4
GIFU	153	129.5	11	9.3	39	33.0	7	5.9
SHIZUOKA	82	44.3	11	5.9	19	10.3	1	0.5
AICHI	131	54.8	15	6.3	24	10.0	1	0.4
NAI	70	62.3	16	14.2	11	9.8	3	2.7
SHIGA	9	13.2	1	1.5	2	2.9	-	-
KYOTO	53	39.9	6	4.5	20	15.1	-	-
OSAKA	92	37.8	15	6.2	26	10.7	3	1.2
HYOGO	196	84.7	30	13.0	21	9.1	5	2.2
NARA	38	62.4	3	4.9	1	1.6	-	-
WAKAYAMA	120	157.1	9	11.8	9	11.8	-	-
TOTTORI	16	35.1	-	-	5	11.0	-	-
SHIMANE	35	50.4	3	4.3	8	11.5	-	-
OKAYAMA	74	58.8	7	5.6	2	1.6	1	0.8
HIROSHIMA	122	78.4	13	8.4	20	12.9	-	-
YAMAGUCHI	8	7.1	3	2.7	7	6.2	-	-
TOKUSHIMA	41	60.4	15	-	5	7.4	1	1.5
KAGAWA	31	43.4	6	8.4	18	25.2	-	-
EHIME	23	20.4	3	2.7	11	9.7	1	0.9
KOCHI	73	111.8	12	18.4	6	9.2	-	-
FUKUOKA	34	14.3	1	0.4	4	1.7	-	-
SAGA	8	11.4	-	-	5	7.1	-	-
NAGASAKI	23	19.8	3	2.6	7	6.0	-	-
KUMAMOTO	9	6.7	2	1.5	2	1.5	-	-
OITA	13	13.8	2	2.1	1	1.1	-	-
MIYAZAKI	19	24.2	4	5.1	4	5.1	-	-
KAGOSHIMA	9	6.7	-	-	2	1.5	-	-

* Sept 47	2767	46.2	294	4.9	685	11.4	41	0.7
** Aug 47	3812	51.0	429	5.7	979	13.1	49	0.7
* Sept 46	4422	76.6	523	9.1	1185	20.5	68	1.2

\* Correction

\* Sept 1946 and Sept 1947

4 week periods

\*\* August 1947

5 weeks period

1947 Rates based on estimated population

1 July 1947

1946 Rates based on estimated population

1 July 1946



Monthly Report - 27 September 1947  
Continued

PREFECTURE	SMALLPOX				TYPHUS FEVER			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
HOKKAIDO	5	1.8	-	-	1	0.4	-	-
AOMORI	-	-	-	-	-	-	-	-
IWATE	-	-	-	-	-	-	-	-
MIYAGI	-	-	-	-	-	-	-	-
AKITA	-	-	-	-	-	-	-	-
YAMAGATA	-	-	-	-	-	-	-	-
FUKUSHIMA	-	-	-	-	-	-	-	-
IBARAKI	-	-	-	-	-	-	-	-
TOCHIGI	-	-	-	-	-	-	-	-
GUMMA	-	-	-	-	-	-	-	-
SAITAMA	-	-	-	-	-	-	-	-
CHIBA	-	-	-	-	-	-	-	-
TOKYO	-	-	-	-	1	0.3	1	0.3
KANAGAWA	-	-	-	-	4	2.4	-	-
NIIGATA	-	-	-	-	-	-	-	-
TOYAMA	-	-	-	-	-	-	-	-
ISHIKAWA	-	-	-	-	-	-	-	-
FUKUI	-	-	-	-	-	-	-	-
YAMANASHI	-	-	-	-	-	-	-	-
NAGANO	-	-	-	-	-	-	-	-
GIFU	-	-	-	-	-	-	-	-
SHIZUOKA	-	-	-	-	-	-	-	-
AICHI	1	0.4	-	-	3	1.3	-	-
MIE	-	-	-	-	-	-	-	-
SHIGA	-	-	-	-	-	-	-	-
KYOTO	-	-	-	-	-	-	-	-
OSAKA	-	-	-	-	2	0.8	-	-
HYOGO	-	-	-	-	-	-	-	-
NARA	-	-	-	-	-	-	-	-
WAKAYAMA	-	-	-	-	-	-	-	-
TOTTOPI	-	-	-	-	-	-	-	-
SHIMANE	-	-	-	-	-	-	-	-
OKAYAMA	-	-	-	-	-	-	-	-
HIROSHIMA	-	-	-	-	-	-	-	-
YAMAGUCHI	-	-	-	-	-	-	-	-
TOKUSHIMA	-	-	-	-	-	-	-	-
KAGAWA	-	-	-	-	-	-	-	-
EHIME	-	-	-	-	-	-	-	-
KOCHI	-	-	-	-	-	-	-	-
FUKUOKA	-	-	-	-	-	-	-	-
SAGA	-	-	-	-	-	-	-	-
NAGASAKI	-	-	-	-	-	-	-	-
KUMAMOTO	-	-	-	-	1	0.7	-	-
OTTA	-	-	-	-	-	-	-	-
MIYAZAKI	-	-	-	-	-	-	-	-
KAGOSHIMA	-	-	-	-	-	-	-	-

* Sept 1947	6	0.1	0	0.0	12	0.2	1	0.02
** Aug 1947	2	0.03	0	0.0	34	0.5	3	0.04
* Sept 1946	9	0.2	8	0.1	67	1.2	10	0.2

Rates per 100,000 per Annum

1947 Rates based on estimated population 1 July 1947.

1946 Rates based on estimated population 1 July 1946.

\* Sept 1946 and 1947 - 4 week period.

\*\* Aug 1947 - 5 week period.



Monthly Report 27 Sept 1947  
Continued

PREFECTURE	MALARIA				CHOLERA			
	N.	R.	DEATHS		CASES		DEATHS	
	N.	R.	N.	R.	N.	R.	N.	R.
HOKKAIDO	37	13.0	-	-	-	-	-	-
AOMORI	26	29.2	-	-	-	-	-	-
IWATE	5	5.0	-	-	-	-	-	-
MIYAGI	-	-	-	-	-	-	-	-
AKITA	19	19.4	-	-	-	-	-	-
YAMAGATA	17	16.0	-	-	-	-	-	-
FUKUSHIMA	20	12.7	-	-	-	-	-	-
IBARAKI	10	6.3	2	1.3	-	-	-	-
TOCHIGI	10	8.1	-	-	-	-	-	-
GUJIMA	4	3.2	-	-	-	-	-	-
SAITAMA	11	6.6	-	-	-	-	-	-
CHIBA	8	4.9	-	-	-	-	-	-
TOKYO	83	24.2	-	-	-	-	-	-
KANAGAWA	29	17.5	-	-	-	-	-	-
NIIGATA	55	28.9	-	-	-	-	-	-
TOYAMA	27	35.4	-	-	-	-	-	-
ISHIKAWA	8	11.1	-	-	-	-	-	-
FUKUI	8	14.1	-	-	-	-	-	-
YAMANASHI	3	4.6	-	-	-	-	-	-
NAGANO	9	5.4	-	-	-	-	-	-
GIFU	1	0.8	-	-	-	-	-	-
SHIZUOKA	27	14.6	-	-	-	-	-	-
AICHI	11	4.6	-	-	-	-	-	-
MIE	19	16.9	-	-	-	-	-	-
SHIGA	252	370.3	-	-	-	-	-	-
KYOTO	15	11.3	-	-	-	-	-	-
OSAKA	36	14.8	-	-	-	-	-	-
HYOGO	24	10.4	-	-	-	-	-	-
NARA	3	4.9	-	-	-	-	-	-
WAKAYAMA	6	7.9	-	-	-	-	-	-
TOTTORI	13	28.5	-	-	-	-	-	-
SHIMANE	16	23.0	-	-	-	-	-	-
OKAYAMA	12	9.5	-	-	-	-	-	-
HIROSHIMA	14	9.0	-	-	-	-	-	-
YAMAGUCHI	28	24.9	-	-	-	-	-	-
TOKUSHIMA	21	30.9	-	-	-	-	-	-
KAGAWA	15	21.0	-	-	-	-	-	-
EHIME	40	35.4	-	-	-	-	-	-
KOCHI	12	18.4	-	-	-	-	-	-
FUKUODA	69	29.0	1	0.4	-	-	-	-
SAGA	6	8.6	-	-	-	-	-	-
NAGASAKI	27	23.3	-	-	-	-	-	-
KUMAMOTO	13	9.7	-	-	-	-	-	-
OITA	23	24.5	-	-	-	-	-	-
MIYAZAKI	21	26.8	-	-	-	-	-	-
KAGOSHIMA	118	88.5	-	-	-	-	-	-
<hr/>								
SEP. 1947*	1231	20.6	3	0.1	0	0.0	0	0.0
AUG 1947**	2268	30.3	2	0.03	0	0.0	0	0.0
SEP 1946*	4541	78.6	14	0.2	206	3.6	99	1.7

\* Sept 1946 and 1947 4 week periods

\*\* Aug 1947 5 week period

1947 Rates based on estimated population 1 July 1947

1946 Rates based on estimated population 1 July 1946

Rate per 100,000 per Annum



Monthly Report - 27 September 1947  
Continued

PREFECTURE	SCARLET FEVER				EPIDEMIC MENINGITIS				JAP. B. ENCEPHALITIS (SUSPECTS)			
	Cases		Deaths		Cases		Deaths		Cases		Deaths	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
HOKKAIDO	28	9.8	-	-	9	3.2	1	0.4	-	-	-	-
AOMORI	-	-	-	-	2	2.2	-	-	-	-	-	-
IWATE	2	2.0	-	-	1	1.0	-	-	-	-	-	-
MIYAGI	6	5.0	-	-	10	8.4	1	0.8	1	0.8	-	-
AKITA	1	1.0	-	-	5	5.1	1	1.0	1	1.0	1	1.0
YAMAGATA	1	0.9	-	-	7	6.6	2	1.9	-	-	-	-
FUKUSHIMA	1	0.6	-	-	3	1.9	2	1.3	-	-	-	-
IBARAKI	2	1.3	-	-	5	3.1	2	1.3	-	-	-	-
TOCHIGI	-	-	-	-	1	0.8	2	1.6	-	-	-	-
GUNMA	4	3.2	-	-	1	0.8	-	-	-	-	-	-
SAITAMA	2	1.2	-	-	2	1.2	2	1.2	-	-	-	-
CHIBA	5	3.0	1	0.6	2	1.2	-	-	-	-	-	-
TOKYO	36	10.5	1	0.3	27	7.9	10	2.9	-	-	-	-
KANAGAWA	5	3.0	-	-	4	2.4	2	1.2	-	-	-	-
NIIGATA	2	1.1	-	-	4	2.1	-	-	-	-	-	-
TOYAMA	-	-	-	-	1	1.3	-	-	1	1.3	1	1.3
ISHIKAWA	-	-	-	-	1	1.4	-	-	-	-	-	-
FUKUI	-	-	-	-	-	-	-	-	-	-	-	-
YAMANASHI	3	4.6	-	-	-	-	-	-	-	-	-	-
NAGANO	11	6.6	-	-	1	0.6	-	-	-	-	-	-
GIFU	3	2.5	-	-	1	0.8	1	0.8	1	0.8	1	0.8
SHIZUOKA	1	0.5	-	-	6	3.2	1	0.5	-	-	-	-
AICHI	8	3.3	-	-	5	2.1	3	1.3	-	-	-	-
MLE	3	2.7	-	-	2	1.8	-	-	-	-	-	-
SHIGA	5	7.3	-	-	1	1.5	-	-	-	-	-	-
KYOTO	6	4.5	-	-	5	3.8	1	0.8	2	1.5	-	-
OSAKA	3	1.2	-	-	10	4.1	3	1.2	20	8.2	11	4.5
HYOGO	4	1.7	-	-	9	3.9	6	2.6	10	4.3	3	1.3
NARA	-	-	-	-	1	1.6	-	-	-	-	-	-
WAKAYAMA	-	-	-	-	-	-	-	-	-	-	-	-
TOTTORI	-	-	-	-	16	35.1	1	2.2	17	37.2	7	15.3
SHIMANE	1	1.4	-	-	5	7.2	1	1.4	5	7.2	3	4.3
OKAYAMA	-	-	-	-	2	1.6	1	0.8	41	32.6	24	19.1
HIROSHIMA	3	1.9	-	-	10	6.4	4	2.6	3	1.9	2	1.3
YAMAGUCHI	-	-	-	-	2	1.8	-	-	-	-	-	-
TOKUSHIMA	-	-	-	-	2	2.9	1	1.5	-	-	-	-
KAGAWA	-	-	-	-	2	2.8	2	2.8	9	12.6	3	4.2
EHIME	3	2.7	-	-	5	4.4	2	1.8	1	9.7	5	4.4
KOCHI	1	1.5	-	-	3	4.6	-	-	-	-	-	-
FUKUOKA	1	0.4	1	0.4	6	2.5	3	1.3	-	-	-	-
SAGA	-	-	-	-	-	-	-	-	-	-	-	-
NAGASAKI	2	1.7	-	-	2	1.7	1	0.9	1	0.9	1	0.9
KUMAMOTO	-	-	-	-	1	0.7	-	-	2	1.5	2	1.5
OITA	1	1.1	-	-	2	2.1	-	-	1	1.1	1	1.1
MIYAZAKI	1	1.3	-	-	2	2.6	1	1.3	-	-	-	-
KAGOSHIMA	-	-	-	-	-	-	-	-	-	-	-	-
**SEPT. 47	125	2.6	3	0.1	186	3.1	57	1.0	125	2.1	65	1.1
***AUG. 47	223	3.0	6	0.1	223	3.0	112	1.5	68	0.9	26	0.3
**SEPT. 47	133	2.3	6	0.1	94	1.6	28	0.5	35	0.6	19	0.3

\*Correction

\*\*September 1946 and September 1947 - 4 week periods

\*\*\*August 1947 - 5 week periods

1947 Rates based on estimated population 1 July 1947.

1946 Rates based on estimated population 1 July 1946.

" Correction







DIPHTHERIA CASE RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN-JUL, 1946

1947	JAN. (4 WEEKS)	FEB. (4 WEEKS)	MAR. (5 WEEKS)	APR. (4 WEEKS)	MAY (5 WEEKS)	JUN. (4 WEEKS)	JUL. (4 WEEKS)
HOKKAIDO	95.6	104.7	85.5	79.9	76.0	59.9	45.2
AOMORI	40.4	38.1	40.4	30.3	53.0	55.0	49.4
IWATE	31.1	33.1	41.0	39.2	41.8	31.1	25.1
MIYAGI	30.9	30.1	40.1	30.1	54.1	53.5	52.6
AKITA	64.4	46.0	44.1	42.9	40.0	47.0	47.0
YAMAGATA	89.7	66.1	77.8	48.1	43.8	50.0	34.0
FUKUSHIMA	22.9	29.9	27.0	27.4	32.6	21.7	17.8
IBARAKI	17.0	36.5	45.3	29.6	30.2	26.4	19.5
TOCHIGI	20.3	43.1	50.7	78.8	54.0	72.3	30.1
GUNMA	18.4	43.3	25.6	16.0	19.9	16.0	13.6
SAITAMA	27.1	29.5	29.9	69.9	29.9	28.3	13.3
CHIBA	38.9	38.9	37.5	23.7	15.6	14.0	12.2
TOKYO	51.7	55.8	65.4	51.4	45.3	27.5	19.3
KANAGAWA	35.7	27.8	34.8	41.7	34.4	23.6	12.7
NIIGATA	38.3	29.4	19.7	24.2	38.2	38.9	18.4
TOYAMA	28.8	18.3	37.7	30.1	41.9	21.0	15.7
ISHIKAWA	55.7	73.8	69.1	72.4	92.5	90.5	40.4
FUKUI	86.1	28.1	22.5	22.8	45.0	47.4	24.6
YAMANASHI	10.7	18.4	15.9	21.5	9.8	15.3	19.9
NAGANO	27.1	39.2	41.4	46.4	40.5	28.9	13.9
GIFU	11.4	19.5	16.9	14.4	12.2	16.9	12.7
SHIZUOKA	20.0	31.4	37.6	31.4	26.8	17.8	13.5
AICHI	51.9	49.8	60.6	92.9	74.0	57.8	38.1
MIE	68.6	55.2	51.3	58.8	65.5	49.9	28.5
SHIGA	22.0	23.5	35.3	29.4	31.7	22.0	14.7
KYOTO	33.2	33.2	42.2	39.2	59.7	33.2	29.4
OSAKA	15.2	14.0	21.3	24.6	19.7	14.8	7.8
HYOGO	43.7	35.0	42.2	29.0	40.8	28.5	17.7
NARA	6.6	46.0	30.2	27.9	27.6	29.6	16.4
WAKAYAMA	49.7	20.9	18.8	26.2	34.6	24.9	20.9
TOTTORI	43.8	39.4	31.5	48.2	26.3	30.7	26.3
SHIMANE	54.7	50.4	61.0	60.4	70.2	30.2	86.3
OKAYAMA	39.7	25.4	26.7	42.1	24.1	9.5	15.1
HIROSHIMA	26.4	23.1	30.3	46.3	33.9	35.4	31.5
YAMAGUCHI	54.2	63.1	63.3	60.4	53.3	56.0	12.4
TOHUSHIMA	32.4	44.2	42.4	29.5	42.4	45.7	33.9
KAGAWA	25.2	29.4	29.1	50.4	38.1	49.0	23.8
EHIME	117.7	96.5	65.8	73.5	58.1	68.1	31.9
KOCHI	32.2	56.2	69.9	39.8	40.4	32.2	29.1
FUKUOKA	109.7	74.4	100.2	57.2	59.2	61.0	29.8
SAGA	135.5	98.4	165.4	142.6	71.9	58.5	34.2
NAGASAKI	58.6	47.4	55.8	47.4	57.9	40.5	28.4
KUMAMOTO	15.7	11.2	18.6	9.7	15.0	13.5	9.0
OITA	113.8	93.6	89.3	89.3	45.9	46.8	29.8
MIYAZAKI	72.7	49.7	102.0	99.5	40.8	42.1	29.3
KAGOSHIMA	57.0	39.7	57.0	42.5	37.8	33.7	27.7
ALL JAPAN	47.0	44.5	48.8	46.8	42.8	36.6	24.8
1946	JAN. (4 WEEKS)	FEB. (4 WEEKS)	MAR. (5 WEEKS)	APR. (4 WEEKS)	MAY (4 WEEKS)	JUN. (5 WEEKS)	JUL. (4 WEEKS)
ALL JAPAN	95.9	101.4	69.7	63.0	57.5	59.0	40.0

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.

DIPHTHERIA DEATH RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN - JUL, 1946

1947	JAN. (4 weeks)	FEB. (4 weeks)	MAR. (5 weeks)	APR. (4 weeks)	MAY (5 weeks)	JUN. (4 weeks)	JUL. (4 weeks)
HOKKAIDO	12.6	14.4	12.3	8.4	6.7	6.0	4.6
AOMORI	10.1	5.6	2.7	1.1	2.7	3.4	4.5
IWATE	8.0	2.0	1.6	6.0	2.4	-	3.0
MIYAGI	3.3	1.7	1.3	0.8	0.7	-	0.8
AKITA	4.1	7.2	2.5	3.1	4.1	3.1	1.0
YAMAGATA	9.4	5.7	3.0	3.8	2.3	3.8	1.9
FUKUSHIMA	-	1.3	0.5	1.3	0.5	0.6	0.6
IBARAKI	1.3	2.5	7.6	2.5	1.5	2.5	0.6
TOCHIGI	3.3	3.3	3.9	5.7	3.9	2.4	-
GUMMA	7.2	11.2	5.1	1.6	1.3	4.8	3.2
SAITAMA	2.4	3.6	2.4	10.2	1.9	3.6	1.8
CHIBA	1.8	3.6	3.9	1.2	1.0	1.2	1.8
TOKYO	9.1	9.1	11.0	10.5	5.4	5.5	0.9
KANAGAWA	3.6	1.8	1.9	3.0	2.4	1.2	1.8
NIIGATA	3.7	5.3	1.3	0.5	1.7	0.5	0.5
TOYAMA	2.6	2.6	2.1	2.6	1.0	-	1.3
ISHIKAWA	-	1.4	2.2	4.2	6.7	7.0	1.4
FUKUI	1.8	1.8	1.4	3.5	-	-	7.0
YAMANASHI	-	-	1.2	-	3.7	3.1	1.5
NAGANO	2.4	6.6	1.9	3.0	2.4	1.2	-
GIFU	1.7	3.4	4.1	0.8	1.4	0.8	0.8
SHIZUOKA	2.2	5.4	2.6	5.4	3.5	0.5	0.5
AICHI	3.8	4.2	4.4	2.9	3.7	4.6	2.5
MIE	2.7	1.8	3.6	1.8	3.6	5.3	1.8
SHIGA	2.9	-	2.4	4.4	1.2	2.9	-
KYOTO	2.3	2.3	3.0	5.3	9.0	5.3	2.3
OSAKA	0.8	5.3	2.6	4.5	0.3	1.2	0.4
HYOGO	3.0	3.5	3.5	1.7	3.8	1.7	1.3
NARA	-	4.9	1.3	1.6	1.3	1.6	-
WAKAYAMA	1.3	-	1.0	2.6	1.0	-	-
TOTTORI	6.6	2.2	3.5	4.4	1.8	2.2	-
SHIMANE	2.9	4.3	4.6	5.8	1.2	-	-
OKAYAMA	2.4	2.4	3.2	4.8	2.5	-	0.8
HIROSHIMA	2.6	3.2	3.6	1.9	3.1	0.6	0.6
YAMAGUCHI	4.4	6.2	7.1	7.1	5.0	4.4	-
TOKUSHIMA	1.5	1.5	1.2	1.5	3.5	-	-
KAGAWA	-	2.8	4.5	2.8	1.1	-	2.8
EHIME	10.6	6.2	5.7	23.0	2.8	3.5	1.8
KOCHI	1.5	-	11.0	3.1	2.5	-	1.5
FUKUOKA	3.8	8.4	8.4	3.8	3.7	1.3	2.1
SAGA	10.0	14.3	20.5	5.7	2.3	8.6	2.9
NAGASAKI	4.3	7.8	4.1	6.9	7.6	6.0	4.3
KUMAMOTO	-	3.0	3.0	1.5	3.6	3.0	1.5
OITA	12.8	7.4	1.7	4.3	4.3	-	3.2
MIYAZAKI	6.4	7.7	5.1	5.1	2.0	2.6	3.8
KAGOSHIMA	12.0	8.2	4.8	4.5	4.8	2.2	6.0
ALL JAPAN	4.4	5.1	4.6	4.4	3.1	2.5	1.7
1946	JAN. (4 weeks)	FEB. (4 weeks)	MAR. (5 weeks)	APR. (4 weeks)	MAY (4 weeks)	JUN. (5 weeks)	JUL. (4 weeks)
ALL JAPAN	11.8	9.5	6.8	5.1	3.6	3.2	2.4

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.



DYSENTERY CASE RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN - JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAIDO	7.4	4.9	7.8	8.1	16.0	14.4	45.2
AOMORI	3.4	2.2	3.6	6.7	6.3	9.0	17.9
IWATE	3.0	3.0	8.8	11.0	8.8	38.2	70.3
MIYAGI	9.2	2.5	0.7	1.7	4.7	15.0	32.6
AKITA	6.1	3.1	0.8	3.1	13.1	17.4	25.5
YAMAGATA	6.6	4.7	12.8	19.8	31.0	56.6	110.4
FUKUSHIMA	0.6	12.7	4.6	14.0	16.8	25.5	175.1
IBARAKI	5.7	6.9	8.1	7.6	15.1	34.0	209.0
TOCHIGI	4.1	10.6	6.5	7.3	9.8	26.8	183.7
GUNMA	2.4	5.6	6.4	6.4	21.2	48.1	289.2
SAITAMA	3.6	1.8	3.4	7.2	16.9	41.6	312.6
CHIBA	1.8	7.3	2.4	4.9	7.8	40.8	129.0
TOKYO	7.6	9.9	9.8	12.3	28.3	51.7	172.3
KANAGAWA	1.8	0.6	7.3	6.0	19.8	25.4	81.1
NIIGATA	4.7	1.6	9.2	8.9	8.0	33.1	88.2
TOYAMA	-	1.3	2.1	7.9	4.2	13.1	55.0
ISHIKAWA	1.4	1.4	4.5	2.8	1.1	8.4	39.0
FUKUI	17.6	-	-	-	5.6	24.6	80.8
YAMANASHI	3.1	-	3.7	3.1	12.3	47.5	217.8
NAGANO	0.6	1.2	3.4	4.8	13.0	11.4	25.3
GIFU	0.8	-	3.4	2.5	4.1	11.0	125.3
SHIZUOKA	7.0	2.7	1.3	4.3	8.2	26.0	99.5
AICHI	2.9	3.3	4.0	2.5	15.4	41.0	134.0
MI	-	0.9	1.4	-	11.4	10.7	71.2
SHIGA	2.9	4.4	-	1.5	5.9	5.9	89.6
KYOTO	21.1	23.4	4.2	9.8	60.9	22.6	85.9
OSAKA	1.6	4.9	9.2	4.5	8.9	24.2	44.8
HYOGO	1.7	2.2	3.1	3.0	7.3	8.2	61.0
NARA	-	-	-	1.6	5.3	8.2	46.0
WAKAYAMA	-	-	-	5.2	2.1	5.2	11.8
TOTTORI	2.2	-	1.8	6.6	5.3	6.6	30.7
SHIMANE	-	-	5.8	4.3	8.1	8.6	74.8
OKAYAMA	0.8	-	0.6	2.4	11.4	5.6	33.4
HIROSHIMA	1.3	1.3	4.6	5.8	8.2	10.3	27.0
YAMAGUCHI	3.6	2.7	6.4	4.4	5.7	6.2	35.5
TOKUSHIMA	1.5	2.9	1.2	1.5	5.9	30.9	218.0
KAGAWA	12.6	7.0	4.5	7.0	13.4	14.0	175.0
EHIME	2.7	1.8	4.2	7.1	7.1	28.3	138.1
KOCHI	4.6	1.5	6.1	1.5	33.1	56.7	119.5
FUKUOKA	2.1	0.8	5.0	5.5	5.0	9.7	35.3
SAGA	7.1	2.9	4.6	4.3	6.8	10.0	47.1
NAGASAKI	1.7	0.9	5.5	2.6	9.6	20.7	64.6
KUMAMOTO	0.7	-	-	3.7	7.8	6.7	65.9
OITA	2.1	1.1	-	1.1	5.1	12.8	50.0
MIYAZAKI	1.3	6.4	4.1	11.5	80.6	174.7	105.9
KAGOSHIMA	2.2	-	1.2	1.5	46.2	144.7	107.9
ALL JAPAN	3.9	3.8	4.7	5.9	14.6	28.5	99.6
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	2.2	2.8	4.0	7.2	17.9	41.1	202.4

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.

DYSENTERY DEATH RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN - JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAIDO	2.1	2.1	2.0	0.4	2.2	1.1	2.1
AOMORI	-	2.2	0.9	2.2	0.9	-	2.2
IWATE	-	-	0.8	-	1.6	7.0	6.0
MIYAGI	0.8	-	-	0.8	-	0.8	5.8
AKITA	1.0	1.0	-	-	4.1	5.1	3.1
YAMAGATA	2.8	-	3.0	1.9	2.8	8.5	13.2
FUKUSHIMA	-	0.6	1.0	2.5	2.1	3.2	21.7
IBARAKI	1.9	0.6	2.5	3.1	5.5	12.0	44.7
TOCHIGI	-	4.1	2.0	1.6	3.9	6.5	28.4
GUMMA	0.8	0.8	1.9	-	3.2	5.6	31.2
SAITAMA	1.2	-	-	3.0	4.8	7.8	53.0
CHIBA	0.6	1.2	0.5	1.8	1.5	7.9	23.1
TOKYO	2.9	1.2	1.6	3.2	7.5	10.8	35.9
KANAGAWA	0.6	0.6	1.0	1.8	3.4	2.4	14.3
NIIGATA	1.6	0.5	0.4	1.1	0.4	15.8	14.2
TOYAMA	1.3	-	-	1.3	-	1.3	1.3
ISHIKAWA	-	-	1.1	-	-	4.2	7.0
FUKUI	7.0	-	-	-	-	-	17.6
YAMANASHI	-	-	-	-	1.2	4.6	26.1
NAGANO	-	0.6	-	0.6	2.4	1.8	6.0
Gifu	0.8	-	2.0	-	0.7	3.4	33.9
SHIZUOKA	1.1	0.5	0.4	0.5	2.2	8.1	21.4
AICHI	0.4	0.8	-	-	2.7	8.4	30.8
MIE	0.9	-	0.7	-	1.4	6.2	19.6
SHIGA	-	1.5	-	-	1.2	1.5	5.9
KYOTO	1.5	1.5	0.6	-	2.4	2.3	13.6
OSAKA	0.4	0.4	2.6	1.6	0.3	1.6	10.7
HYOGO	0.4	0.9	1.4	0.4	1.7	3.9	10.9
NARA	-	-	-	1.6	1.3	-	1.6
WAKAYAMA	-	-	-	2.6	2.1	-	5.2
TOTTORI	-	6.6	-	2.2	-	-	11.0
SHIMANE	-	-	1.2	4.3	-	4.3	25.0
OKAYAMA	-	0.8	-	0.8	1.9	3.2	11.1
HIROSHIMA	0.6	-	1.0	1.9	2.1	4.5	9.6
YAMAGUCHI	1.8	0.9	1.4	2.7	1.4	2.7	5.3
TOKUSHIMA	-	-	-	-	3.5	5.9	26.5
KAGAWA	1.4	1.4	1.1	2.8	4.5	5.6	34.4
EHIME	0.9	0.9	-	-	3.5	5.3	22.1
KOCHI	3.1	-	6.1	-	6.1	12.3	29.1
FUKUOKA	0.8	-	0.3	0.8	1.0	1.7	6.7
SAGA	-	2.9	-	-	1.1	1.4	10.0
NAGASAKI	4.3	0.9	-	-	2.8	6.0	19.0
KUMMOTO	2.2	-	-	0.7	1.2	2.2	18.7
OITA	1.1	-	-	-	0.9	1.1	15.8
MIYAZAKI	-	-	2.0	1.3	6.1	28.1	26.8
KAGOSHIMA	1.5	-	-	1.5	1.2	18.7	22.5
ALL JAPAN	1.1	0.8	0.9	1.2	2.4	5.6	18.7
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	2.3	0.8	1.2	1.3	2.4	5.5	26.1

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.



TYPHOID CASE RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN-JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAI DO	18.6	10.5	12.6	13.3	17.4	13.3	24.5
AKHORI	29.2	7.9	1.8	3.4	9.9	6.7	26.9
WHITE	13.1	11.0	8.8	6.0	7.2	6.0	18.1
MIYAGI	29.2	14.2	17.4	18.4	22.1	31.8	37.6
AKITA	5.1	2.0	3.3	4.1	12.0	19.4	13.3
YAMAGATA	33.0	21.7	6.0	14.2	20.4	45.3	43.4
FUKUSHIMA	26.7	22.3	9.7	17.2	17.3	24.2	28.7
IBARAKI	23.3	23.3	12.1	8.2	8.1	12.0	12.0
TOCHIGI	11.4	14.6	13.7	20.3	20.8	28.4	34.1
GUNMA	11.2	14.4	3.8	5.6	13.5	16.8	14.4
SAITAMA	12.7	16.3	8.7	23.5	17.8	24.7	24.7
CHIBA	22.5	17.6	9.7	9.7	12.2	17.6	29.2
TOKYO	19.0	12.9	14.7	21.6	36.2	31.8	39.4
KANAGAWA	41.1	16.9	14.0	22.4	33.9	36.9	48.4
NIIGATA	13.7	8.4	7.1	11.0	11.8	18.9	27.3
TOYAMA	21.0	17.0	16.8	24.9	29.3	31.4	60.3
ISHIKAWA	5.6	4.2	4.5	4.2	10.0	12.5	30.6
FUKUI	38.7	10.5	1.4	8.8	5.6	12.3	24.6
YAMANASHI	9.2	12.3	4.9	4.6	2.5	15.3	36.8
NAGANO	14.5	13.3	6.7	7.2	10.6	19.9	11.4
GIFU	22.0	11.0	25.1	11.9	18.3	13.5	35.6
SHIZUOKA	22.7	21.6	13.0	16.8	24.2	17.8	28.1
AICHI	12.6	21.3	20.1	9.6	14.1	27.6	51.5
MIE	36.5	23.2	19.2	15.1	138.2	65.9	49.9
SHIGA	8.8	5.9	5.9	8.8	8.2	14.7	13.2
KYOTO	12.8	16.6	10.2	15.8	18.7	27.1	33.2
OSAKA	7.4	6.2	7.9	6.2	13.8	26.7	24.6
HYOGO	19.9	14.3	10.7	12.1	11.8	23.3	42.4
NARA	4.9	16.4	10.5	6.6	14.4	8.2	24.6
WAKAYAMA	28.8	17.0	14.7	7.9	20.9	44.5	62.8
TOTTORI	26.3	28.5	14.0	13.1	24.5	28.5	28.5
SHIMANE	30.2	12.9	12.7	36.0	31.1	8.6	57.6
OKAYAMA	28.6	16.7	10.2	14.3	7.0	10.3	23.0
HIROSHIMA	30.9	37.9	17.5	22.5	21.6	39.9	37.3
YAMAGUCHI	11.6	13.3	7.8	3.6	7.1	8.0	6.2
TOKUSHIMA	44.2	2.9	16.5	10.3	16.5	32.4	60.4
KAGAWA	28.0	8.4	17.9	7.0	22.4	26.6	15.4
EHIME	11.5	9.7	4.2	3.5	12.0	14.2	23.0
KUCHI	33.7	42.9	22.1	39.8	56.4	62.9	55.1
FUKUOKA	13.9	2.4	11.8	10.5	8.7	9.2	9.7
SAKA	18.5	5.7	5.7	5.7	4.6	8.6	10.0
NAGASAKI	4.3	5.2	2.8	0.9	3.4	4.3	7.8
KUMAMOTO	3.0	5.2	6.0	2.7	4.2	5.2	9.7
OKITA	3.2	2.1	2.6	4.3	3.4	8.5	17.0
MIYAZAKI	15.3	2.6	16.3	11.5	11.2	7.7	14.6
KAGOSHIMA	0.7	1.5	3.0	0.7	1.8	0.7	0.7
ALL JAPAN	18.4	13.8	10.9	12.3	18.3	21.4	29.0
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (4 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	42.7	54.5	62.5	55.6	54.6	72.2	69.2

Rates per 100,000 population per annum.  
1947 Rates based upon estimated civilian population 1 July 1947.  
1946 Rates based upon estimated civilian population 1 July 1946.

THYROID DEATH RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN - JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAIDO	2.3	2.8	2.8	3.2	2.2	1.4	1.4
AOMORI	6.7	5.6	0.9	-	1.8	2.2	2.2
IVATE	1.0	1.0	1.6	3.0	1.6	1.0	4.0
MIYAGI	0.8	1.7	1.3	3.3	2.7	0.8	1.7
AKITA	-	-	0.8	1.0	0.8	6.1	3.1
YAMAGATA	8.5	7.6	-	3.8	5.3	4.7	7.6
FUKUSHIMA	0.6	1.9	1.0	2.5	2.0	0.6	2.5
IPARAKI	0.6	5.0	1.0	1.9	1.5	1.3	1.3
TOCHIGI	-	4.1	2.0	4.9	3.9	2.4	6.5
GUNMA	3.2	2.2	-	0.8	0.6	4.0	-
SAITAMA	-	0.6	0.5	5.4	1.0	3.6	3.0
CHIBA	1.2	1.8	1.0	-	0.5	1.8	1.2
TOKYO	3.2	1.8	2.3	2.0	2.1	6.4	5.5
KANAGAWA	4.2	2.0	1.9	1.8	5.8	4.8	5.4
NIIGATA	3.7	4.2	0.4	1.6	2.1	1.6	3.7
TOYAMA	3.9	1.3	5.2	1.3	2.1	5.2	6.6
ISHIKAWA	-	-	-	1.4	2.2	1.4	1.4
FUKUI	-	3.5	-	1.3	-	1.8	5.3
YAMANASHI	-	-	-	-	-	-	1.5
YAGANO	1.8	3.0	-	0.6	1.4	0.6	1.2
YIFU	-	10.2	-	1.7	5.4	-	4.2
SHIZUOKA	1.1	1.6	1.3	1.1	0.4	4.9	1.1
AICHI	0.8	1.3	2.3	0.4	2.3	2.1	3.8
NIE	2.7	4.5	0.7	-	5.7	14.2	6.2
SHIGA	-	2.9	1.2	-	1.2	-	1.5
KYOTO	4.5	5.3	-	-	2.4	1.5	0.8
OSAKA	0.8	-	2.0	1.6	2.0	3.3	2.0
HYOGO	1.3	3.9	2.8	3.0	1.7	3.9	3.5
NARA	1.6	-	2.6	3.3	1.3	-	1.6
WAKAYAMA	3.9	1.3	2.1	-	1.0	1.3	3.9
TOPTOPT	4.4	-	1.8	-	1.8	2.2	2.2
SHIMANE	2.9	4.3	2.3	1.4	9.2	1.4	7.2
OKAYAMA	0.8	2.4	1.9	3.2	1.3	0.8	0.8
HIROSHIMA	2.6	3.9	1.5	3.2	1.0	4.5	6.4
YAMAGUCHI	-	-	1.4	2.7	0.7	-	-
TOKUSHIMA	1.5	4.4	2.3	5.9	-	1.5	7.4
KAGAWA	9.8	1.4	4.5	-	2.2	-	1.4
EHIME	0.9	1.8	1.4	0.9	1.4	2.7	1.8
TOCHI	4.6	4.6	6.1	3.1	6.1	4.6	4.6
FUKUOKA	0.8	0.8	1.0	0.8	1.3	0.8	0.8
SAGA	-	-	-	-	1.1	1.4	1.4
NAHASAKI	-	-	-	-	-	0.9	0.0
KUMAMOTO	-	-	1.2	-	0.6	3.0	2.2
OTTA	-	-	-	-	-	-	1.1
MIYAZAKI	1.3	1.3	2.0	2.6	2.0	1.3	11.5
KAGOSHIMA	-	-	2.4	-	0.6	-	-
ALL JAPAN	1.8	2.4	1.4	1.8	2.0	2.6	3.0
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	7.9	7.4	7.9	6.6	7.0	5.2	7.1

rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.



PARATYPHOID CASE RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN-JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAIDO	2.5	3.2	2.0	0.7	2.5	3.2	6.3
AOMORI	2.2	-	-	2.2	1.8	1.1	2.2
IWATE	1.0	4.0	1.6	-	1.6	2.0	11.0
MIYAGI	2.5	1.7	8.0	5.8	20.7	20.1	56.0
AKITA	1.0	-	2.5	1.0	0.8	9.2	9.2
YAMAGATA	9.4	4.7	1.5	0.9	11.3	12.3	15.1
FUKUSHIMA	1.9	2.5	2.5	2.5	3.1	7.0	9.6
IBARAKI	8.2	5.7	4.5	2.5	5.5	11.3	18.9
TOCHIGI	1.6	1.6	2.0	5.7	2.0	4.1	13.0
GUNMA	3.2	4.8	1.9	3.2	1.9	5.6	12.0
SAITAMA	1.2	1.2	-	4.8	1.4	6.0	6.6
CHIBA	7.9	5.5	1.0	3.0	3.4	7.3	14.6
TOKYO	7.0	6.1	4.4	12.9	15.2	12.6	13.1
KANAGAWA	6.0	2.4	1.5	2.4	6.8	17.5	11.5
NIIGATA	2.1	4.7	0.8	5.8	2.9	3.7	11.6
TOYAMA	3.9	1.3	5.2	1.3	8.4	14.4	15.7
ISHIKAWA	1.4	2.8	3.3	-	3.3	7.0	7.0
FUKUI	5.3	-	2.8	3.5	2.8	1.8	8.8
YAMANASHI	1.5	9.2	-	-	4.9	7.7	15.3
NAGANO	4.8	5.4	1.9	4.8	8.2	7.2	4.2
GIFU	5.1	4.2	3.4	2.5	10.2	4.2	7.6
SHIZUOKA	9.2	4.3	2.6	3.2	3.9	6.5	3.8
AICHI	4.2	4.6	3.3	2.9	2.3	14.7	5.0
MIE	8.9	8.0	4.3	1.8	4.3	5.3	12.5
SHIGA	2.9	1.5	-	-	1.2	-	4.4
KYOTO	1.5	2.3	1.2	4.5	6.0	2.3	6.8
OSAKA	4.9	2.1	22.3	27.1	3.3	9.4	6.2
HYOGO	0.9	2.6	0.7	0.9	-	1.7	5.2
NARA	-	-	-	3.3	2.6	3.3	-
WAKAYAMA	-	-	1.0	7	9.4	11.8	7.9
TOTTORI	4.4	-	-	-	10.5	2.2	4.4
SHIMANE	2.9	1.4	9.2	10.1	15.0	24.5	48.9
OKAYAMA	1.6	0.8	1.3	-	-	3.2	3.2
HIROSHIMA	4.5	3.2	8.2	3.9	5.1	9.0	14.1
YAMAGUCHI	-	2.7	2.8	0.9	1.4	0.9	-
TOKUSHIMA	2.9	4.4	1.2	-	-	2.9	14.7
KAGAWA	5.6	4.2	7.8	1.4	1.1	1.4	5.6
EHIME	0.9	-	0.7	0.9	-	5.3	7.1
KOCHI	9.2	3.1	2.5	3.1	1.2	4.6	6.1
FUKUOKA	2.1	2.9	0.7	3.8	1.7	2.9	2.5
SAGA	5.7	-	2.3	-	4.6	-	2.9
NAGASAKI	2.6	4.3	-	-	0.7	1.7	1.7
KUMAMOTO	1.5	0.7	-	0.7	2.4	2.2	1.5
OTTA	1.1	1.1	-	-	2.6	-	2.1
MIYAZAKI	7.7	1.3	3.1	3.8	-	1.3	11.5
KAGOSHIMA	0.7	-	-	-	-	2.2	1.5
ALL JAPAN	3.7	3.1	3.1	4.0	4.4	6.7	9.3
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (4 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	4.4	6.6	8.3	9.1	10.7	14.2	18.7

Rates per 100,000 population per annum.  
1947 Rates based upon estimated civilian population 1 July 1947.  
1946 Rates based upon estimated civilian population 1 July 1946.

PARATYPHOID DEATH RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN - JUL, 1946

1947	JAN. (4 weeks)	FEB. (4 weeks)	MAR. (5 weeks)	APR. (4 weeks)	MAY (5 weeks)	JUN. (4 weeks)	JUL. (4 weeks)
HOKKAIDO	-	0.7	0.3	0.4	0.3	-	0.4
AOMORI	-	-	-	-	-	-	-
IWATE	-	-	-	-	-	-	1.0
MIYAGI	-	-	2.0	-	0.7	-	0.8
AKITA	-	1.0	-	-	-	1.0	-
YAMAGATA	0.9	-	-	-	-	0.9	0.9
FUKUSHIMA	-	0.6	-	0.6	1.0	-	0.6
IPARAKI	0.6	0.6	0.5	-	1.0	1.3	0.6
TOCHIGI	-	-	0.7	0.7	0.7	-	-
GUMMA	-	-	0.6	-	-	-	0.8
SAITAMA	1.8	-	-	0.6	-	1.2	-
CHIBA	-	0.6	-	-	-	1.2	-
TOKYO	0.3	0.3	0.2	0.2	0.5	0.6	0.3
YAMAGATA	0.6	-	-	0.6	-	-	1.2
NIIGATA	-	0.5	-	-	-	-	-
TOYAMA	-	-	-	-	-	-	1.3
ISHIKAWA	-	-	-	-	-	-	-
FUKUI	-	-	-	-	-	-	-
YAMANASHI	-	-	-	-	-	-	1.5
NAGANO	-	1.2	0.5	-	1.0	-	1.8
GIFU	-	0.8	-	-	-	-	1.7
SHIZUOKA	-	-	-	-	2.0	-	0.5
AICHI	-	0.4	-	-	-	-	1.3
MIE	-	0.9	1.4	-	-	-	-
SUIGA	-	-	-	-	-	-	1.5
KYOTO	0.8	-	0.6	-	-	0.8	0.8
OSAKA	-	0.4	-	0.4	0.3	-	0.4
HYOGO	-	-	-	-	0.3	-	0.4
NARA	-	-	-	-	-	-	-
WAKAYAMA	-	-	-	-	-	-	-
TOTTORI	-	-	-	-	-	-	-
SHIMANE	-	-	-	-	1.2	-	2.9
OKAYAMA	-	-	-	-	-	-	-
HIROSHIMA	-	-	0.5	0.6	0.5	1.9	0.6
YAMAGUCHI	-	-	-	-	-	-	-
TOKUSHIMA	2.9	-	-	-	-	-	1.5
YAGATA	-	-	-	-	-	-	-
EFUME	-	-	-	-	-	-	-
KOCHI	-	-	-	-	-	-	-
FUKUOKA	-	-	0.7	-	-	-	-
SAGA	-	-	1.1	-	-	-	-
NAGASAKI	-	0.9	-	-	0.7	-	-
KUMAMOTO	-	-	-	-	-	-	-
OITA	-	-	-	-	-	-	-
MIYAZAKI	1.3	-	-	1.3	-	-	-
KAGOSHIMA	-	-	-	-	-	-	-
ALL JAPAN	0.2	0.3	0.2	0.2	0.3	0.2	0.5
1946	JAN. (4 weeks)	FEB. (4 weeks)	MAR. (5 weeks)	APR. (4 weeks)	MAY (4 weeks)	JUN. (5 weeks)	JUL. (4 weeks)
ALL JAPAN	0.3	0.3	0.5	0.5	0.7	0.7	0.8

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.



SMALLPOX CASE RATE BY MONTHS;  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN-JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAIDO	1.8	1.8	2.5	1.8	1.4	1.8	1.4
AGICRI	-	-	-	-	-	-	-
IWATE	-	-	0.8	-	-	-	-
MIYAGI	-	0.8	-	-	-	-	-
AKITA	3.1	2.0	3.3	-	0.8	2.0	-
YAMAGATA	0.9	0.9	3.0	1.9	-	-	-
FUKUSHIMA	-	-	-	0.6	-	-	-
IBARAKI	9.4	2.5	0.5	-	0.5	-	-
TOCHIGI	0.8	0.8	-	13.8	2.6	-	-
GUNMA	0.8	-	-	0.8	0.6	-	-
SAITAMA	0.6	0.6	-	0.6	-	-	-
CHIBA	7.9	-	-	-	-	-	-
TOKYO	-	-	2.8	1.2	0.5	-	-
KANAGAWA	-	0.6	1.0	-	0.5	-	-
NIIGATA	-	-	-	1.1	-	0.5	-
TOYAMA	-	-	1.0	-	-	-	-
ISHIKAWA	1.4	-	-	-	-	-	-
FUKUI	-	-	-	-	-	-	-
YAMANASHI	-	-	-	-	-	-	-
NAAGANO	-	-	0.5	-	-	1.2	-
GIFU	-	-	-	-	-	-	-
SHIZUOKA	-	-	0.4	1.1	-	-	-
AICHI	-	-	1.0	1.7	-	-	0.4
MIE	-	-	1.4	-	0.7	0.9	0.9
SHIGA	-	-	-	-	-	-	-
KYOTO	-	-	-	-	0.6	-	-
OSAKA	2.9	0.4	0.3	-	0.3	0.4	-
HYOGO	1.3	2.6	2.8	1.7	3.8	3.9	0.4
NARA	-	-	-	-	1.3	-	-
WAKAYAMA	-	-	3.1	5.2	16.8	9.2	1.3
TOTTORI	2.2	-	-	-	-	-	-
SHIMANE	2.9	4.3	-	-	2.3	-	-
OKAYAMA	-	0.9	5.1	0.8	-	0.8	-
HIROSHIMA	-	0.6	-	0.6	0.5	-	-
YAMAGUCHI	-	0.9	-	-	2.8	1.8	-
TOKUSHIMA	-	-	-	1.5	-	-	-
KAGAWA	-	1.4	-	1.4	1.1	-	-
EHIME	-	-	-	0.9	7.1	1.8	-
KOCHI	-	-	1.2	-	-	-	-
FUKUOKA	1.7	2.9	0.7	1.7	7.4	0.4	-
SAGA	-	-	-	5.7	1.1	-	-
NAGASAKI	-	0.9	-	0.9	-	-	-
KUMAMOTO	-	-	1.2	-	0.6	-	-
OITA	-	2.1	-	-	-	-	-
MIZUYAKI	-	-	1.0	-	-	-	-
KAGOSHIMA	6.7	6.7	-	-	-	-	-
ALL JAPAN	1.1	0.2	0.9	1.0	1.2	0.6	0.1
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (4 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	15.7	62.3	67.3	66.7	30.2	14.6	2.0

Rates per 100,000 population per annum.  
1947 Rates based upon estimated civilian population 1 July 1947.  
1946 Rates based upon estimated civilian population 1 July 1946.

SMALLPOX DEATH RATE BY PREFECTURE,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN - JUL, 1946

1947	JAN. (4 weeks)	FEB. (4 weeks)	MAR. (5 weeks)	APR. (4 weeks)	MAY (5 weeks)	JUN. (4 weeks)	JUL. (4 weeks)
HOKKAIDO	-	-	0.8	0.4	-	1.1	0.4
AOMORI	-	-	-	-	-	-	-
IWATE	-	-	0.8	-	-	-	-
MIYAGI	-	0.8	-	-	-	-	-
AKITA	-	1.0	-	-	-	-	-
YAMAGATA	-	-	2.9	-	-	-	-
FUKUSHIMA	-	-	-	-	-	-	-
IBARAKI	0.6	-	-	-	-	-	-
TOCHIGI	-	-	-	1.6	-	-	-
GUMMA	-	-	-	-	-	-	-
SAITAMA	-	0.6	-	-	-	-	-
CHIBA	1.2	-	-	-	-	-	-
TOKYO	-	-	0.2	1.2	-	-	-
KANAGAWA	-	-	-	-	-	-	-
NIIGATA	-	-	-	-	-	0.5	-
TOYAMA	-	-	-	-	-	-	-
ISHIKAWA	-	-	-	-	-	-	-
FUKUI	-	-	-	-	-	-	-
YAMANASHI	-	-	-	-	-	-	-
NAAGANO	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-
SHIZUOKA	-	-	-	-	-	-	-
AICHI	-	-	-	-	-	-	-
MIE	-	-	-	-	-	0.9	-
SHIGA	-	-	-	-	-	-	-
KYOTO	-	-	-	-	-	-	-
OSAKA	-	0.8	-	-	-	-	-
HYOGO	0.4	0.4	0.3	-	-	-	-
NARA	-	-	-	-	-	-	-
WAKAYAMA	-	-	-	-	-	-	1.3
TOTTORI	-	-	-	-	-	-	-
SHIMANE	-	-	-	-	-	-	-
OKAYAMA	-	-	-	-	-	-	-
HIROSHIMA	-	-	-	0.6	-	-	-
YAMAGUCHI	-	-	-	-	-	-	-
TOKUSHIMA	-	-	-	-	-	-	-
TOCHUGU	-	-	-	-	-	-	-
EHIME	-	-	-	-	1.4	-	-
KOCHI	-	-	-	-	-	-	-
FUKUOKA	0.4	-	-	-	-	-	-
SAGA	-	-	-	1.4	-	-	-
NAGASAKI	-	-	-	-	-	-	-
KUMAMOTO	-	-	-	-	-	-	-
OITA	-	-	-	-	-	-	-
MIZAGAWA	-	-	-	-	-	-	-
KAGOSHIMA	-	-	-	-	-	-	-
ALL JAPAN	0.1	0.1	0.1	0.2	0.03	0.1	0.1
1946	JAN. (4 weeks)	FEB. (4 weeks)	MAR. (5 weeks)	APR. (4 weeks)	MAY (5 weeks)	JUN. (5 weeks)	JUL. (4 weeks)
ALL JAPAN	1.9	6.5	10.3	12.0	7.4	3.3	0.7

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.



TYPHUS FEVER CASE RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN-JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAIDO	5.3	3.2	1.4	1.1	3.4	0.7	1.1
AOMORI	1.1	-	-	-	0.9	-	6.7
IVATE	-	-	-	-	-	-	-
MIYAGI	5.0	2.5	-	-	0.7	8.4	-
AKITA	-	-	-	-	-	2.0	-
YAMAGATA	-	-	-	-	3.8	18.9	16.0
FUKUSHIMA	-	-	0.5	-	1.0	-	0.6
IBARAKI	3.8	6.9	6.0	1.3	-	1.9	1.3
TOCHIGI	-	2.4	1.3	0.8	-	-	-
GUIMA	0.8	0.8	0.6	-	0.6	-	-
SAITAMA	6.0	3.6	-	-	2.4	3.0	-
CHIBA	4.9	5.5	0.5	0.6	1.0	1.8	1.2
TOKYO	17.2	-	3.3	26.3	3.5	3.8	3.2
KANAGAWA	4.8	1.8	3.9	3.6	1.9	1.8	1.2
NIIGATA	0.5	3.2	-	1.1	0.8	-	1.6
TOYAMA	1.3	2.6	2.1	2.6	-	1.3	-
ISHIKAWA	4.2	2.8	5.6	-	-	-	-
FUKUI	7.0	-	1.4	-	-	-	-
YAMANASHI	6.1	4.6	-	-	-	-	-
NAGANO	0.6	1.8	-	2.4	0.5	-	-
GIFU	7.6	6.8	0.7	3.4	2.7	-	-
SHIZUOKA	2.7	4.9	2.2	0.5	3.5	0.5	0.5
AICHI	23.4	13.8	5.4	5.4	9.4	13.4	10.5
MIIE	0.9	2.7	-	-	-	-	-
SHIGA	-	-	-	-	-	-	-
KYOTO	0.8	1.5	1.2	0.8	-	-	-
OSAKA	4.1	4.5	3.9	-	1.0	2.1	0.8
HYOGO	-	0.4	-	-	-	1.7	-
NARA	3.3	-	-	-	-	-	-
WAKAYAMA	9.2	7.9	-	1.3	1.0	2.6	-
TOTTORI	2.2	2.2	3.5	-	-	4.4	2.2
SHIMANE	1.4	2.9	2.3	-	-	-	4.3
OKAYAMA	1.6	-	-	-	-	2.4	-
HIMATSUIMA	-	-	0.5	-	-	-	0.6
YAMAGUCHI	3.6	5.3	-	2.7	2.1	-	-
TOKUSHIMA	1.5	1.5	-	-	-	-	-
KAGAWA	9.8	4.2	6.7	4.2	6.7	14.0	15.4
EHIME	-	-	0.7	-	-	4.4	-
KOCHI	-	-	1.2	-	-	-	-
FUKUOKA	0.4	0.4	0.3	-	-	-	-
SAGA	-	-	-	-	1.1	-	-
NAGASAKI	3.4	2.6	-	-	-	-	-
KUMAMOTO	-	-	0.6	0.7	-	-	-
OITA	-	1.1	-	-	-	-	-
MIZUZAKI	-	6.4	2.0	-	-	-	-
KAGOSHIMA	-	-	-	-	-	-	-
ALL JAPAN	4.0	2.6	1.4	2.3	1.4	2.1	1.5
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (4 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	4.7	35.2	144.5	146.9	91.7	47.3	8.8

Rates per 100,000 population per annum.  
1947 Rates based upon estimated civilian population 1 July 1947.  
1946 Rates based upon estimated civilian population 1 July 1946.

TYPHUS FEVER DEATH RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN - JUL, 1946

1947	JAN. (4 weeks)	FEB. (4 weeks)	MAR. (5 weeks)	APR. (4 weeks)	MAY (5 weeks)	JUN. (4 weeks)	JUL. (4 weeks)
HOKKAIDO	1.4	0.4	-	-	0.3	-	0.4
AOMORI	-	-	-	-	-	-	-
IWATE	-	-	-	-	-	-	-
MIYAGI	0.8	-	-	-	-	1.7	-
AKITA	-	-	-	-	-	1.0	-
YAMAGATA	-	-	-	-	1.5	0.9	0.2
FUKUSHIMA	-	-	-	-	-	-	-
IPARAKI	-	-	1.0	0.6	-	-	0.6
TOCHIGI	-	0.8	-	0.8	-	-	-
GINMA	0.8	0.8	-	0.8	-	-	-
SAITAMA	1.2	-	-	-	-	-	-
CHIBA	-	0.6	-	-	-	-	-
TOKYO	0.6	1.2	0.2	2.9	2.1	-	0.3
KANAGAWA	-	0.6	-	0.6	-	-	-
NIIGATA	-	0.5	-	-	-	-	-
TOYAMA	-	-	-	-	-	1.3	-
ISHIKAWA	-	-	-	-	-	-	-
FUKUI	5.3	-	-	-	-	-	-
YAMANASHI	-	-	-	-	-	-	-
NAGANO	-	0.6	-	-	-	-	-
GIFU	-	-	-	-	-	-	-
SHIZUOKA	-	-	-	-	-	-	-
AICHI	-	0.4	0.2	-	-	0.4	0.4
MIE	-	-	-	-	-	-	-
SHIGA	-	-	-	-	-	-	-
KIOTO	-	-	-	-	-	-	-
OSAKA	-	-	-	-	-	-	-
HIOGO	-	0.4	-	-	-	0.4	-
NARA	-	-	-	-	-	-	-
WAKAYAMA	-	-	-	1.3	-	-	-
TOTTORI	-	-	-	-	-	-	-
SHIMANE	-	-	-	-	-	-	-
OKAYAMA	-	-	-	-	-	-	-
HIROSHIMA	-	-	-	-	-	-	-
YAMAGUCHI	-	-	-	0.9	-	-	-
TOKUSHIMA	-	-	-	-	-	-	-
KAGAWA	-	4.2	1.1	-	-	1.4	1.4
EHIME	-	-	-	-	-	-	-
KOCHI	-	-	-	-	-	-	-
FUKUOKA	-	-	-	-	-	-	-
SAGA	-	-	-	-	-	-	-
NAGASAKI	-	-	-	-	-	-	0.0
YAMAGOTO	-	-	-	-	-	-	-
OITA	-	1.1	-	-	-	-	-
MIZAGUTI	-	-	-	-	-	-	-
KAGOSHIMA	-	-	-	-	-	-	-
ALL JAPAN	0.2	0.3	0.1	0.3	0.2	0.1	0.1
1946	JAN. (4 weeks)	FEB. (4 weeks)	MAR. (5 weeks)	APR. (4 weeks)	MAY (4 weeks)	JUN. (5 weeks)	JUL. (4 weeks)
ALL JAPAN	0.6	2.7	10.2	12.5	10.2	5.4	2.0

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.



MALARIA CASE RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN-JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAIDO	4.9	3.2	3.9	6.0	4.2	6.7	14.7
AOMORI	3.4	6.7	16.2	9.0	8.1	33.7	16.8
IWATE	14.1	21.1	24.1	6.0	14.5	8.0	18.1
MIYAGI	3.3	1.7	1.3	0.8	0.7	5.0	5.0
AKITA	15.3	10.2	16.3	7.2	16.3	29.6	10.2
YAMAGATA	4.7	3.8	0.8	4.7	1.5	26.4	17.0
FUKUSHIMA	3.8	14.0	7.6	8.3	10.7	14.0	26.7
IBARAKI	15.7	16.4	36.8	25.8	18.1	18.9	18.9
TOCHIGI	1.6	2.4	2.6	7.3	11.1	7.3	11.4
GUNMA	-	1.6	-	-	5.8	13.6	20.0
SAITAMA	0.6	-	1.9	-	3.9	8.4	3.0
CHIBA	3.6	5.5	8.8	3.6	3.9	2.4	10.9
TOKYO	9.6	12.9	15.4	11.1	18.2	20.2	29.2
KANAGAWA	18.1	10.9	16.9	15.7	15.5	32.7	37.5
NIIGATA	5.3	7.9	5.5	5.8	6.7	5.8	21.5
TOYAMA	2.6	5.2	7.3	6.6	13.6	43.2	30.1
ISHIKAWA	1.4	-	2.2	1.4	2.2	25.1	15.3
FUKUI	1.8	3.5	8.4	-	5.6	24.6	22.8
YAMANASHI	4.6	3.1	4.9	6.1	7.4	19.9	24.5
NAGANO	4.8	13.9	9.6	9.6	12.0	16.9	10.2
GIFU	-	-	0.7	0.8	0.7	5.9	3.4
SHIZUOKA	-	3.2	10.4	7.0	6.1	9.2	8.7
AICHI	13.4	9.2	11.1	8.0	10.0	10.5	11.3
MIE	17.8	8.0	14.2	23.2	20.7	23.2	21.4
SHIGA	44.1	20.6	29.4	63.2	108.2	348.3	464.4
KYOTO	14.3	4.5	11.5	8.3	6.0	-	8.3
OSAKA	1.2	0.4	1.3	0.8	1.0	6.6	7.8
HYOGO	7.8	4.8	21.4	10.8	8.3	16.0	16.0
NARA	4.9	14.8	13.1	8.2	5.3	1.6	6.6
WAKAYAMA	5.2	2.6	11.5	11.8	11.5	7.9	10.5
TOTTORI	17.5	21.9	54.3	17.5	28.0	37.2	30.7
SHIMANE	2.9	2.9	15.0	2.9	6.9	7.2	60.4
OKAYAMA	6.4	1.6	3.2	7.1	7.0	3.2	3.2
HIROSHIMA	7.1	3.9	29.3	16.1	22.1	10.3	6.4
YAMAGUCHI	17.8	8.9	22.7	13.3	31.3	8.9	28.4
TOKUSHIMA	33.9	42.7	27.1	20.6	16.5	5.9	45.7
KAGAWA	40.6	12.6	14.6	18.2	17.9	15.4	32.2
EHIME	23.9	16.8	22.7	44.2	31.2	60.2	69.0
KOCHI	15.3	4.6	18.4	10.7	14.7	21.4	12.3
FUKUOKA	39.5	29.0	38.7	29.0	33.3	51.3	49.2
SAGA	49.9	77.0	51.3	49.9	46.8	39.9	24.2
NAGASAKI	6.0	2.6	6.2	10.3	18.6	5.2	30.2
KUMAMOTO	7.5	9.0	10.2	12.0	25.8	24.0	18.0
OITA	33.0	40.4	31.5	13.8	40.8	35.1	40.4
MIZUZAKI	6.4	3.8	10.2	24.2	29.6	57.4	26.8
KAGOSHIMA	2.2	7.5	7.2	5.2	13.8	10.5	26.2
ALL JAPAN	10.6	9.7	13.7	11.4	14.4	21.0	25.4
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (4 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	NA	NA	NA	NA	NA	NA	112.0

Rates per 100,000 population per annum.  
 1947 Rates based upon estimated civilian population 1 July 1947.  
 1946 Rates based upon estimated civilian population 1 July 1946.

MALARIA DEATH RATE BY MONTHS.  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN - JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAIDO	-	-	-	-	-	-	0.4
AOMORI	-	-	-	-	-	-	-
IVATE	-	-	-	-	-	-	-
MIYAGI	-	-	-	-	-	-	-
AKITA	-	-	-	-	-	-	-
YAMAGATA	-	-	-	-	-	-	-
FUKUSHIMA	-	-	-	-	-	-	-
IBARAKI	-	-	-	-	-	-	-
TOCHIGI	-	-	-	-	-	-	-
GUNMA	-	-	-	-	-	-	-
SAITAMA	-	-	-	-	-	0.6	-
CHIBA	-	-	-	-	-	-	-
TOKYO	-	-	-	-	-	-	-
KANAGAWA	-	-	-	-	-	-	-
NIIGATA	-	-	0.4	-	-	-	-
TOYAMA	-	-	-	-	-	-	-
ISHIKAWA	-	-	-	-	-	-	-
FUKUI	-	-	-	-	-	-	-
YAMANASHI	-	-	-	-	-	-	-
NAGANO	-	-	-	-	-	-	-
GIFU	-	-	-	-	-	-	-
SHIZUOKA	-	-	-	-	-	-	-
AICHI	-	-	-	-	-	-	-
ITE	-	-	-	-	-	-	-
SHIGA	-	-	-	-	-	-	-
KYOTO	-	-	-	-	-	-	-
OSAKA	-	-	-	-	-	-	-
HYOGO	-	-	-	-	-	-	-
NARA	-	-	-	-	-	-	-
WAKAYAMA	-	-	-	-	-	-	-
TOTTORI	-	-	-	-	-	-	-
SHIMANE	-	-	-	-	-	-	-
OKAYAMA	-	-	-	-	-	-	-
HIROSHIMA	-	-	-	-	-	-	-
YAMAGUCHI	-	-	-	-	-	-	-
TOKUSHIMA	-	-	-	-	-	-	-
KAHARA	-	-	-	-	-	-	-
EHIME	-	-	-	-	0.7	-	-
KOCHI	-	-	-	-	-	-	-
FUKUOKA	-	0.4	0.3	0.4	0.3	-	-
SAGA	1.4	-	1.1	-	1.1	-	-
NAGASAKI	-	-	-	-	-	-	-
FUKUOKA	-	-	-	-	-	-	-
OKITA	-	3.2	-	-	-	-	-
MIZUASHI	-	-	1.0	-	-	-	-
YAMAGUCHI	-	-	-	-	-	-	-
ALL JAPAN	0.02	0.1	0.1	0.02	0.04	0.02	0.6
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (4 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	NA	NA	NA	NA	NA	NA	0.4

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.



SCARLET FEVER CASE RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN - JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 weeks)	MAR. (5 weeks)	APR. (4 Weeks)	MAY (5 weeks)	JUN. (4 weeks)	JUL. (4 Weeks)
HOKKAIDO	7.4	9.5	13.2	5.6	10.6	9.1	15.8
AOMORI	4.5	3.4	-	1.1	0.9	6.7	3.4
IWATE	3.0	1.0	0.8	2.0	4.8	5.0	4.0
MIYAGI	4.2	3.3	1.3	6.7	10.0	10.9	10.0
AKITA	6.1	3.1	2.5	4.1	-	2.0	-
YAMAGATA	3.8	3.8	1.5	0.9	3.8	2.8	3.8
FUKUSHIMA	3.2	1.9	1.5	1.9	5.1	1.3	3.2
IBARAKI	1.9	0.6	2.5	2.5	10.1	3.8	1.3
TOCHIGI	0.8	-	2.0	0.8	5.2	8.9	2.4
GUNMA	-	2.4	1.3	4.8	6.4	12.0	7.2
SAITAMA	2.4	2.4	2.4	3.0	1.9	3.0	2.4
CHIBA	0.6	4.3	1.5	0.6	1.9	1.8	7.9
TOKYO	10.8	9.9	11.0	14.3	15.9	11.4	8.5
YANAGAWA	1.8	7.3	7.7	6.7	7.3	6.7	3.6
NIIGATA	-	0.5	0.4	1.6	0.4	2.6	1.6
TOYAMA	3.9	-	2.1	2.6	2.1	5.2	1.3
ISHIKAWA	-	-	2.2	2.8	-	-	-
FUKUI	-	-	1.4	-	4.2	-	-
YAMANASHI	1.5	3.1	2.5	3.1	8.6	6.1	-
NAGANO	1.8	3.0	4.8	1.8	6.7	4.8	3.0
GIFU	1.7	-	1.4	2.5	1.4	3.4	0.8
SHIZUOKA	1.6	3.2	2.6	1.6	34.2	7.0	2.7
AICHI	3.3	3.8	0.7	2.5	8.7	6.3	1.7
MIE	0.9	3.6	3.6	6.2	3.6	4.5	0.9
SHIGA	7.3	2.9	3.5	1.5	7.1	4.4	2.9
KYOTO	20.3	9.8	6.6	16.6	13.3	8.3	2.3
OSAKA	4.1	0.8	1.3	2.5	2.3	1.6	1.6
HYOGO	2.2	2.2	2.4	1.7	2.8	3.0	0.4
NARA	-	-	-	-	7.9	3.3	-
WAKAYAMA	1.3	2.6	1.0	2.6	-	-	-
TOTTORI	2.2	2.2	3.5	-	1.8	-	-
SHIMANE	2.9	-	6.9	15.8	4.6	1.4	2.9
OKAYAMA	0.8	4.0	1.3	0.8	3.2	-	0.8
HIROSHIMA	0.6	-	1.5	2.6	0.5	1.3	0.6
YAMAGUCHI	1.8	0.9	1.4	2.7	0.7	0.9	0.9
TOKUSHIMA	1.5	-	2.4	-	-	-	-
KAGAWA	1.4	1.4	3.4	4.2	1.1	2.8	-
EHIME	2.7	0.9	2.8	-	2.8	0.9	1.8
POCHI	-	-	-	6.1	-	3.1	-
FUKUOKA	0.4	0.4	0.3	1.3	1.0	0.8	-
SAGA	-	-	-	1.4	-	-	-
NAGASAKI	0.9	6.0	0.7	0.9	-	0.9	-
KUMAMOTO	-	-	0.6	-	1.2	-	0.7
OITA	-	-	-	-	-	-	-
MIYAZAKI	1.3	-	2.0	1.3	2.0	1.3	1.3
KAGOSHIMA	0.7	0.7	-	-	-	-	0.7
ALL JAPAN	3.0	2.9	2.0	3.5	5.6	4.1	3.0
1946	JAN. (4 weeks)	FEB. (4 weeks)	MAR. (5 weeks)	APR. (4 weeks)	MAY (5 weeks)	JUN. (5 weeks)	JUL. (4 weeks)
ALL JAPAN	1.2	2.6	2.9	3.3	2.0	3.2	2.4

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.

SCARLET FEVER DEATH RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN - JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAIDO	-	0.7	0.3	0.7	0.3	0.4	-
AOMORI	-	1.1	-	-	-	-	-
IWATE	-	-	0.8	1.0	0.8	-	1.0
MIYAGI	-	-	-	-	-	0.8	-
AKITA	-	1.0	-	-	-	-	-
YAMAGATA	-	-	-	-	-	-	-
FUKUSHIMA	-	-	-	0.6	-	-	-
IBARAKI	-	-	0.5	-	-	-	-
TOCHIGI	-	-	-	-	-	-	-
CHIBA	-	-	-	-	-	0.8	-
SAITAMA	-	-	-	-	-	-	-
CHUO	-	-	-	-	-	-	-
TOKYO	-	0.3	-	0.3	0.5	0.9	-
KANAGAWA	-	-	-	-	-	-	0.6
NIIGATA	-	-	-	-	-	-	-
TOYAMA	-	-	-	-	-	-	-
ISHIKAWA	-	-	1.1	-	-	-	-
FUKUI	-	-	-	-	-	-	-
YAMAGUCHI	-	-	-	-	-	-	1.5
YAMAGUCHI	-	-	0.5	-	-	-	-
GIFU	-	-	-	-	-	-	-
SHIZUOKA	-	-	-	-	-	-	-
AICHI	-	0.4	-	-	-	-	-
ITE	-	-	-	-	-	0.9	-
SHIGA	-	-	-	-	-	-	-
KYOTO	0.8	-	0.6	-	-	-	-
OSAKA	-	-	-	-	-	-	-
HYOGO	-	-	-	-	-	-	-
NARA	-	-	-	-	-	-	-
TAKAYAMA	-	-	-	-	-	-	-
TOTOGI	-	-	-	-	-	-	-
SUITSANE	-	-	-	-	-	-	-
OKAYAMA	-	-	-	-	-	-	-
HIROSHIMA	-	-	-	0.6	-	0.6	-
YAMAGUCHI	-	-	-	-	-	-	-
TOUISHIMA	-	-	-	-	-	-	-
KAGATA	-	-	1.1	-	1.1	-	-
BEINTE	-	-	-	-	-	-	-
VOCHI	-	-	-	-	-	-	-
FUKUOKA	-	0.4	-	-	-	-	-
SAGA	-	-	-	-	-	-	-
NAGASAKI	-	-	-	-	-	0.9	-
KUMAMOTO	-	-	-	-	-	-	-
OITA	-	-	-	-	-	-	-
MTSUZAKI	-	-	-	-	-	-	-
KAGOSHIMA	-	-	-	-	-	-	-
ALL JAPAN	0.32	0.1	0.1	0.1	0.1	0.2	0.1
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	0.1	0.2	0.3	0.3	0.2	0.1	0.1

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.



EPIDEMIC MENINGITIS CASE RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN-JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAIDO	7.7	12.6	21.3	17.5	16.3	14.0	11.9
AOMORI	4.5	4.5	10.8	29.2	16.2	14.6	9.0
IWATE	1.0	3.0	14.5	18.1	1.6	7.0	4.0
MIYAGI	4.2	5.8	12.0	19.2	9.4	9.2	7.5
AKITA	2.0	10.2	10.6	21.5	12.3	4.1	4.1
YAMAGATA	1.9	4.7	6.8	13.2	12.8	2.8	1.9
FUKUSHIMA	0.6	7.6	17.8	12.1	18.3	6.4	6.4
IBARAKI	5.0	8.2	28.2	22.0	12.6	8.2	7.6
TOCHIGI	-	1.6	3.3	3.3	2.6	6.5	3.3
GUNMA	2.4	4.0	3.8	8.0	3.8	1.6	-
SAITAMA	4.8	3.6	7.2	10.2	2.9	1.2	3.0
CHIBA	1.2	5.5	8.3	4.9	3.4	5.5	0.6
TOKYO	7.6	19.3	38.1	47.0	19.9	8.8	5.5
KANAGAWA	-	3.0	5.8	10.3	7.3	3.6	3.6
NIIGATA	1.6	1.1	5.5	5.8	3.8	2.1	2.6
TOYAMA	-	1.3	1.0	7.9	3.1	5.2	1.3
ISHIKAWA	7.0	7.0	7.8	12.5	8.9	1.4	2.8
FUKUI	-	3.5	1.4	5.3	1.4	3.5	5.3
YAMANASHI	-	9.2	8.6	12.3	3.7	-	3.1
NAGANO	0.6	3.0	7.7	4.2	1.9	-	0.6
GIFU	1.7	0.8	5.4	2.5	0.7	-	0.8
SHIZUOKA	1.6	3.2	11.2	9.7	8.2	1.6	0.5
AICHI	-	1.7	0.7	0.4	3.7	2.9	0.8
MIE	-	4.5	3.6	6.2	0.7	-	1.8
SHIGA	2.9	1.5	4.7	7.3	5.9	2.9	1.5
KYOTO	3.0	5.3	3.0	9.0	10.2	2.3	3.8
OSAKA	4.5	1.2	5.6	10.7	6.9	4.9	4.1
HYOGO	3.0	3.0	3.1	3.5	4.2	0.9	2.6
NARA	-	-	1.3	1.6	2.6	-	-
WAKAYAMA	1.3	2.6	-	2.6	-	1.3	2.6
TOTTORI	6.6	4.4	3.5	8.8	10.5	6.6	4.4
SHIMANE	1.4	-	-	1.4	4.6	-	2.9
OKAYAMA	0.8	-	1.9	0.8	-	0.8	-
HIROSHIMA	1.3	1.3	4.1	10.3	7.2	4.5	1.3
YAMAGUCHI	1.8	3.6	1.4	6.2	6.4	1.8	2.7
TOKUSHIMA	1.5	2.9	-	2.9	2.4	-	-
KAGAWA	-	1.4	-	4.2	9.0	2.8	1.4
EHIME	0.9	4.4	5.0	2.7	1.4	-	2.7
KOCHI	3.1	3.1	4.9	1.5	3.7	4.6	-
FUKUOKA	5.9	4.6	1.7	4.6	3.4	3.8	2.1
SAGA	1.4	1.4	6.8	1.4	1.1	1.4	7.1
NAGASAKI	1.7	3.4	2.8	0.9	4.8	2.6	-
KUMAMOTO	-	2.2	5.4	5.2	2.4	2.2	0.7
OITA	-	3.2	1.7	-	1.7	1.1	-
MIYAZAKI	-	1.3	2.0	2.6	1.0	3.8	2.6
KAGOSHIMA	-	0.7	6.6	2.2	7.8	-	0.7
ALL JAPAN	2.6	4.7	8.6	10.2	6.8	4.0	3.2
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (4 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	0.9	2.5	2.7	3.1	2.8	2.7	1.4

EPIDEMIC MENINGITIS, DEATH RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN - JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOOKAIDO	0.7	5.3	4.8	4.9	5.6	2.1	2.5
AOMORI	1.1	-	4.5	2.2	1.8	3.4	3.4
IWATE	-	2.0	4.8	6.0	0.8	-	1.6
MIYAGI	-	1.7	2.0	1.7	0.7	-	2.5
AKITA	-	6.1	1.6	13.3	7.4	2.0	-
YAMAGATA	-	0.9	-	2.8	6.0	0.9	1.6
FUKUSHIMA	-	2.5	3.6	3.8	2.5	3.2	3.2
IPARAKI	2.5	2.5	9.6	5.7	4.5	1.3	1.3
TOCHIGI	-	0.8	2.0	0.8	1.3	0.8	0.8
GUNMA	-	-	1.3	2.4	1.3	1.6	4.0
SAITAMA	0.6	1.2	2.4	5.4	1.4	-	0.6
CHIBA	-	1.8	2.9	1.8	1.5	1.8	-
TOKYO	2.0	4.4	12.2	16.6	13.8	5.8	2.0
KANAGATA	-	3.0	1.0	0.6	2.4	1.8	1.6
NIIGATA	-	-	0.8	1.6	0.4	1.6	-
TOYAMA	-	-	-	-	-	1.3	1.3
ISHIKAWA	-	-	2.2	4.2	3.3	-	1.4
FUKUI	-	3.5	-	-	1.4	-	3.6
YAMANASHI	-	-	-	-	3.7	-	-
NAGANO	-	0.6	1.0	0.6	-	-	-
Gifu	0.8	-	0.7	0.6	-	-	-
SHIZUOKA	-	-	2.2	3.8	1.3	1.1	0.5
AICHI	-	-	0.3	-	0.7	-	-
MI	-	0.9	-	-	-	-	0.6
SHIGA	1.5	1.5	-	1.5	2.4	2.9	-
KYOTO	0.8	0.8	1.2	-	3.0	-	0.8
OSAKA	1.2	-	0.3	2.1	1.6	0.8	0.4
HYOGO	0.9	0.4	1.4	0.4	2.1	0.4	1.3
HATA	-	-	-	-	-	-	-
WAKAYAMA	1.3	1.3	-	1.3	-	-	-
TOTTORI	-	-	3.5	2.2	3.5	4.4	-
SHIMANE	1.4	-	-	-	2.3	-	-
OKAYAMA	0.8	-	0.6	-	-	0.8	-
HIROSHIMA	-	0.6	1.5	3.2	1.0	3.2	-
YAMAGUCHI	-	1.8	-	-	2.1	-	-
TOKUSHIMA	-	-	-	1.5	2.4	-	-
KAGAWA	-	1.4	-	1.4	-	-	1.4
EHIME	0.9	1.8	2.8	0.9	2.1	0.9	-
KOCHI	1.5	-	-	1.5	2.5	3.1	-
FUKUOKA	0.4	2.5	2.0	5.5	2.7	2.1	0.4
SAGA	1.4	1.4	2.3	-	-	1.4	-
NAGASAKI	-	-	1.4	0.9	4.1	1.7	-
KUMAMOTO	-	0.7	1.8	0.7	-	1.5	0.7
OITA	-	-	0.9	-	-	1.1	-
MTYAZAMI	-	-	-	-	-	1.3	2.6
KAGOSHIMA	-	-	1.2	1.5	3.6	0.7	0.7
ALL JAPAN	0.5	1.4	2.2	3.0	2.6	1.4	1.0
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (4 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	0.2	0.6	0.6	0.9	0.8	0.7	0.6

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.



(SUSPECT) JAP "B" ENCEPHALITIS CASE RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN-JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAIDO	-	-	-	-	-	-	-
AOMORI	-	-	-	-	-	-	-
IWATE	-	-	-	-	-	-	-
MIYAGI	-	-	-	-	-	-	-
AKITA	-	-	-	-	-	-	-
YAMAGATA	-	-	-	-	-	-	-
FUKUSHIMA	-	-	-	-	-	-	-
IBARAKI	-	-	-	-	-	-	-
TOCHIGI	-	-	-	-	-	-	-
GUNMA	-	-	-	-	-	-	-
SAITAMA	-	-	-	-	-	-	-
CHIBA	-	-	-	-	-	-	-
TOKYO	-	-	-	-	-	-	-
KANAGAWA	-	-	-	-	-	-	-
NIIGATA	-	-	-	-	-	-	-
TOYAMA	-	-	-	-	-	-	-
ISHIKAWA	-	-	-	-	-	-	-
FUKUI	-	-	-	-	-	-	1.8
YAMANASHI	-	-	-	-	-	-	-
NAGANO	-	-	-	-	-	-	-
GIFU	-	-	-	-	-	-	-
SHIZUOKA	-	-	-	-	-	-	-
AICHI	-	-	-	-	-	0.8	-
MIE	-	-	-	-	-	-	-
SHIGA	-	-	-	-	-	-	-
KYOTO	-	-	-	-	-	-	-
OSAKA	-	-	-	-	-	-	-
HYOGO	-	-	-	-	-	-	-
NARA	-	-	-	-	-	-	-
WAKAYAMA	-	-	-	-	-	-	-
TOTTORI	-	-	-	-	-	-	-
SHIMANE	-	-	-	-	-	-	-
OKAYAMA	-	-	-	-	-	-	0.8
HIROSHIMA	0.6	-	-	-	-	0.6	-
YAMAGUCHI	-	-	-	-	-	-	-
TOKUSHIMA	-	-	-	-	-	-	1.5
KAGAWA	-	-	-	-	-	-	-
EHIME	-	-	-	-	-	-	-
KOCHI	-	-	-	-	-	-	-
FUKUOKA	-	-	-	-	-	-	-
SAGA	-	-	-	-	-	-	-
NAGASAKI	-	-	-	-	-	-	-
KUMAMOTO	-	-	-	-	-	-	-
OITA	-	-	-	-	-	-	-
MIYAZAKI	-	-	-	-	-	-	-
KAGOSHIMA	-	-	-	-	-	-	-
ALL JAPAN	0.02	0.0	0.0	0.0	0.0	0.1	0.1
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (4 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	NA	NA	NA	NA	NA	NA	0.6

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.

No cholera or plague reported for the period Jan-Jul 1947.



(SUSPECT) JAP. P. ENCEPHALITIS DEATH RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN - JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAIDO	-	-	-	-	-	-	-
TOHOKU	-	-	-	-	-	-	-
TOHATE	-	-	-	-	-	-	-
MTYAGI	-	-	-	-	-	-	-
AKITA	-	-	-	-	-	-	-
YAMAGATA	-	-	-	-	-	-	-
FUKUSHIMA	-	-	-	-	-	-	-
IPARAKI	-	-	-	-	-	-	-
TOCHIGI	-	-	-	-	-	-	-
GUNMA	-	-	-	-	-	-	-
SAITAMA	-	-	-	-	-	-	-
CHIBA	-	-	-	-	-	-	-
TOKYO	-	-	-	-	-	-	-
KANAGATA	-	-	-	-	-	-	-
NIIGATA	-	-	-	-	-	-	-
TOYAMA	-	-	-	-	-	-	-
ISHIKAWA	-	-	-	-	-	-	-
FUKUI	-	-	-	-	-	-	-
YAMANASHI	-	-	-	-	-	-	-
NAGANO	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-
SHIZUOKA	-	-	-	-	-	-	-
AICHI	-	-	-	-	-	0.8	-
MI	-	-	-	-	-	-	-
SHIGA	-	-	-	-	-	-	-
KYOTO	-	-	-	-	-	-	-
OSAKA	-	-	-	-	-	-	-
HYOGO	-	-	-	-	-	-	-
NARA	-	-	-	-	-	-	-
WAKAYAMA	-	-	-	-	-	-	-
TOTTORI	-	-	-	-	-	-	-
SHIMANE	-	-	-	-	-	-	-
OKAYAMA	-	-	-	-	-	-	-
HIROSHIMA	0.6	-	-	-	-	-	-
YAMAGUCHI	-	-	-	-	-	-	-
TOYUSHIMA	-	-	-	-	-	-	1.5
KAGAWA	-	-	-	-	-	-	-
EHIME	0.9	-	-	-	-	-	-
KOCHI	-	-	-	-	-	-	-
FUKUOKA	-	-	-	-	-	-	-
SAGA	-	-	-	-	-	-	-
NAGASAKI	-	-	-	-	-	-	-
KUMAMOTO	-	-	-	-	-	-	-
OITA	-	-	-	-	-	-	-
MIYAZAKI	-	-	-	-	-	-	-
KAGOSHIMA	-	-	-	-	-	-	-
ALL JAPAN	0.03	0.0	0.0	0.0	0.0	0.03	0.02
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (4 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	NA	NA	NA	NA	NA	NA	0.3

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.

No cholera or plague deaths reported for the period January - July 1947.



(SUSPECT) JAP "B" ENCEPHALITIS CASE RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN-JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAIDO	-	-	-	-	-	-	-
AOMORI	-	-	-	-	-	-	-
IWATE	-	-	-	-	-	-	-
MIYAGI	-	-	-	-	-	-	-
AKITA	-	-	-	-	-	-	-
YAMAGATA	-	-	-	-	-	-	-
FUKUSHIMA	-	-	-	-	-	-	-
IBARAKI	-	-	-	-	-	-	-
TOCHIGI	-	-	-	-	-	-	-
GUNMA	-	-	-	-	-	-	-
SAITAMA	-	-	-	-	-	-	-
CHIBA	-	-	-	-	-	-	-
TOKYO	-	-	-	-	-	-	-
KANAGAWA	-	-	-	-	-	-	-
NIIGATA	-	-	-	-	-	-	-
TOYAMA	-	-	-	-	-	-	-
ISHIKAWA	-	-	-	-	-	-	-
<del>TOKU</del>	-	-	-	-	-	-	1.8
YAMANASHI	-	-	-	-	-	-	-
NAGANO	-	-	-	-	-	-	-
GIFU	-	-	-	-	-	-	-
SHIZUOKA	-	-	-	-	-	-	-
AICHI	-	-	-	-	-	0.8	-
MIE	-	-	-	-	-	-	-
SHIGA	-	-	-	-	-	-	-
KYOTO	-	-	-	-	-	-	-
OSAKA	-	-	-	-	-	-	-
HYOGO	-	-	-	-	-	-	-
NARA	-	-	-	-	-	-	-
WAKAYAMA	-	-	-	-	-	-	-
TOTTORI	-	-	-	-	-	-	-
SHIMANE	-	-	-	-	-	-	-
OKAYAMA	-	-	-	-	-	-	0.8
HIROSHIMA	0.6	-	-	-	-	0.6	-
YAMAGUCHI	-	-	-	-	-	-	-
TOKUSHIMA	-	-	-	-	-	-	1.5
KAGAWA	-	-	-	-	-	-	-
EHIME	-	-	-	-	-	-	-
KOCHI	-	-	-	-	-	-	-
FUKUOKA	-	-	-	-	-	-	-
SAGA	-	-	-	-	-	-	-
NAGASAKI	-	-	-	-	-	-	-
KUMAMOTO	-	-	-	-	-	-	-
OITA	-	-	-	-	-	-	-
MIYAZAKI	-	-	-	-	-	-	-
KAGOSHIMA	-	-	-	-	-	-	-
ALL JAPAN	0.02	0.0	0.0	0.0	0.0	0.1	0.1
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (4 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	NA	NA	NA	NA	NA	NA	0.6

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.

No cholera or plague reported for the period Jan-Jul 1947.



(SUSPECT) JAP. P. ENCEPHALITIS DEATH RATE BY MONTHS,  
ALL JAPAN AND EACH PREFECTURE, JAN - JUL, 1947  
ALL JAPAN, JAN - JUL, 1946

1947	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (5 Weeks)	JUN. (4 Weeks)	JUL. (4 Weeks)
HOKKAIDO	-	-	-	-	-	-	-
AKITORI	-	-	-	-	-	-	-
IVATE	-	-	-	-	-	-	-
MIYAGI	-	-	-	-	-	-	-
AKITA	-	-	-	-	-	-	-
YAMAGATA	-	-	-	-	-	-	-
FUKUSHIMA	-	-	-	-	-	-	-
IPARAKI	-	-	-	-	-	-	-
TOCHIGI	-	-	-	-	-	-	-
GUNMA	-	-	-	-	-	-	-
SAITAMA	-	-	-	-	-	-	-
CHIBA	-	-	-	-	-	-	-
TOKYO	-	-	-	-	-	-	-
KANAGATA	-	-	-	-	-	-	-
NIIGATA	-	-	-	-	-	-	-
TOYAMA	-	-	-	-	-	-	-
ISHIKAWA	-	-	-	-	-	-	-
FUKUI	-	-	-	-	-	-	-
YAMAGUCHI	-	-	-	-	-	-	-
NAGANO	-	-	-	-	-	-	-
GIFFU	-	-	-	-	-	-	-
SHIZUOKA	-	-	-	-	-	-	-
AICHI	-	-	-	-	-	0.8	-
MIE	-	-	-	-	-	-	-
SHIGA	-	-	-	-	-	-	-
KYOTO	-	-	-	-	-	-	-
OSAKA	-	-	-	-	-	-	-
HYOGO	-	-	-	-	-	-	-
NARA	-	-	-	-	-	-	-
WAKAYAMA	-	-	-	-	-	-	-
TOTTORI	-	-	-	-	-	-	-
SHIMANE	-	-	-	-	-	-	-
OKAYAMA	-	-	-	-	-	-	-
HIROSHIMA	0.6	-	-	-	-	-	-
YAMAGUCHI	-	-	-	-	-	-	-
TOKUSHIMA	-	-	-	-	-	-	1.5
KAGAWA	-	-	-	-	-	-	-
EHIME	0.9	-	-	-	-	-	-
KOCHI	-	-	-	-	-	-	-
FUKUOKA	-	-	-	-	-	-	-
YAGA	-	-	-	-	-	-	-
NAGASAKI	-	-	-	-	-	-	-
KUMAMOTO	-	-	-	-	-	-	-
OITA	-	-	-	-	-	-	-
MIYAZAKI	-	-	-	-	-	-	-
KAGOSHIMA	-	-	-	-	-	-	-
ALL JAPAN	0.03	0.0	0.0	0.0	0.0	0.03	0.02
1946	JAN. (4 Weeks)	FEB. (4 Weeks)	MAR. (5 Weeks)	APR. (4 Weeks)	MAY (4 Weeks)	JUN. (5 Weeks)	JUL. (4 Weeks)
ALL JAPAN	NA	NA	NA	NA	NA	NA	0.3

Rates per 100,000 population per annum.

1947 Rates based upon estimated civilian population 1 July 1947.

1946 Rates based upon estimated civilian population 1 July 1946.

No cholera or plague deaths reported for the period January - July 1947.